

FACTORS FOR UNIT CONVERSIONS

Quantity	Equivalent Values
Mass	$1 \text{ kg} = 1000 \text{ g} = 0.001 \text{ metric ton} = 2.20462 \text{ lb}_m = 35.27392 \text{ oz}$ $1 \text{ lb}_m = 16 \text{ oz} = 5 \times 10^{-4} \text{ ton} = 453.593 \text{ g} = 0.453593 \text{ kg}$
Length	$1 \text{ m} = 100 \text{ cm} = 1000 \text{ mm} = 10^6 \text{ microns } (\mu\text{m}) = 10^{10} \text{ angstroms } (\text{\AA})$ $= 39.37 \text{ in.} = 3.2808 \text{ ft} = 1.0936 \text{ yd} = 0.0006214 \text{ mile}$ $1 \text{ ft} = 12 \text{ in.} = 1/3 \text{ yd} = 0.3048 \text{ m} = 30.48 \text{ cm}$
Volume	$1 \text{ m}^3 = 1000 \text{ L} = 10^6 \text{ cm}^3 = 10^6 \text{ mL}$ $= 35.3145 \text{ ft}^3 = 220.83 \text{ imperial gallons} = 264.17 \text{ gal}$ $= 1056.68 \text{ qt}$ $1 \text{ ft}^3 = 1728 \text{ in.}^3 = 7.4805 \text{ gal} = 0.028317 \text{ m}^3 = 28.317 \text{ L}$ $= 28,317 \text{ cm}^3$
Force	$1 \text{ N} = 1 \text{ kg}\cdot\text{m/s}^2 = 10^5 \text{ dynes} = 10^5 \text{ g}\cdot\text{cm/s}^2 = 0.22481 \text{ lb}_f$ $1 \text{ lb}_f = 32.174 \text{ lb}_m\cdot\text{ft/s}^2 = 4.4482 \text{ N} = 4.4482 \times 10^5 \text{ dynes}$
Pressure	$1 \text{ atm} = 1.01325 \times 10^5 \text{ N/m}^2 (\text{Pa}) = 101.325 \text{ kPa} = 1.01325 \text{ bar}$ $= 1.01325 \times 10^6 \text{ dynes/cm}^2$ $= 760 \text{ mm Hg at } 0^\circ\text{C (torr)} = 10.333 \text{ m H}_2\text{O at } 4^\circ\text{C}$ $= 14.696 \text{ lb}_f/\text{in.}^2 (\text{psi}) = 33.9 \text{ ft H}_2\text{O at } 4^\circ\text{C}$ $= 29.921 \text{ in. Hg at } 0^\circ\text{C}$
Energy	$1 \text{ J} = 1 \text{ N}\cdot\text{m} = 10^7 \text{ ergs} = 10^7 \text{ dyne}\cdot\text{cm}$ $= 2.778 \times 10^{-7} \text{ kW}\cdot\text{h} = 0.23901 \text{ cal}$ $= 0.7376 \text{ ft}\cdot\text{lb}_f = 9.486 \times 10^{-4} \text{ Btu}$
Power	$1 \text{ W} = 1 \text{ J/s} = 0.23901 \text{ cal/s} = 0.7376 \text{ ft}\cdot\text{lb}_f/\text{s} = 9.486 \times 10^{-4} \text{ Btu/s}$ $= 1.341 \times 10^{-3} \text{ hp}$

Example: The factor to convert grams to lb_m is $\left(\frac{2.20462 \text{ lb}_m}{1000 \text{ g}}\right)$.

Appendix B

Physical Property Tables

TABLE	PAGES
B.1 Selected Physical Property Data	628–634
B.2 Heat Capacities	635–637
B.3 Vapor Pressure of Water	638–639
B.4 Antoine Equation Constants	640–641
B.5 Properties of Saturated Steam: Temperature Table	642–643
B.6 Properties of Saturated Steam: Pressure Table	644–649
B.7 Properties of Superheated Steam	650–651
B.8 Specific Enthalpies of Selected Gases: SI Units	652
B.9 Specific Enthalpies of Selected Gases: American Engineering Units	652
B.10 Atomic Heat Capacities for Kopp's Rule	653
B.11 Integral Heats of Solution and Mixing at 25°C	653

Table B.1 Selected Physical Property Data^a

Compound	Formula	Mol. Wt.	SG (20°/4°)	$T_m(^{\circ}\text{C})^b$	$\Delta\hat{H}_m(T_m)^{c,j}$ kJ/mol	$T_b(^{\circ}\text{C})^d$	$\Delta\hat{H}_v(T_b)^{e,j}$ kJ/mol	$T_c(\text{K})^f$	$P_c(\text{atm})^g$	$(\Delta\hat{H}_f^{\circ})^{h,j}$ kJ/mol	$(\Delta\hat{H}_c^{\circ})^{i,j}$ kJ/mol
Acetaldehyde	CH ₃ CHO	44.05	0.783 ^{18°}	-123.7	—	20.2	25.1	461.0	—	-166.2(g)	-1192.4(g)
Acetic acid	CH ₃ COOH	60.05	1.049	16.6	12.09	118.2	24.39	594.8	57.1	-486.18(l)	-871.69(l)
										-438.15(g)	-919.73(g)
Acetone	C ₃ H ₆ O	58.08	0.791	-95.0	5.69	56.0	30.2	508.0	47.0	-248.2(l)	-1785.7(l)
										-216.7(g)	-1821.4(g)
Acetylene	C ₂ H ₂	26.04	—	—	—	-81.5	17.6	309.5	61.6	+226.75(g)	-1299.6(g)
Ammonia	NH ₃	17.03	—	-77.8	5.653	-33.43	23.351	405.5	111.3	-67.20(l)	—
										-46.19(g)	-382.58(g)
Ammonium hydroxide	NH ₄ OH	35.03	—	—	—	—	—	—	—	-366.48(aq)	—
Ammonium nitrate	NH ₄ NO ₃	80.05	1.725 ^{25°}	169.6	5.4	Decomposes at 210°C				-365.14(c)	—
										-399.36(aq)	—
Ammonium sulfate	(NH ₄) ₂ SO ₄	132.14	1.769	513	—	Decomposes at 513°C after melting				-1179.3(c)	—
										-1173.1(aq)	—
Aniline	C ₆ H ₇ N	93.12	1.022	-6.3	—	184.2	—	699	52.4	—	—
Benzaldehyde	C ₆ H ₅ CHO	106.12	1.046	-26.0	—	179.0	38.40	—	—	-88.83(l)	-3520.0(l)
										-40.04(g)	—
Benzene	C ₆ H ₆	78.11	0.879	5.53	9.837	80.10	30.765	562.6	48.6	+48.66(l)	-3267.6(l)
										+82.93(g)	-3301.5(g)
Benzoic acid	C ₇ H ₆ O ₂	122.12	1.266 ^{15°}	122.2	—	249.8	—	—	—	—	-3226.7(g)
Benzyl alcohol	C ₇ H ₈ O	108.13	1.045	-15.4	—	205.2	—	—	—	—	-3741.8(l)
Bromine	Br ₂	159.83	3.119	-7.4	10.8	58.6	31.0	584	102	0(l)	—
1,2-Butadiene	C ₄ H ₆	54.09	—	-136.5	—	10.1	—	446	—	—	—
1,3-Butadiene	C ₄ H ₆	54.09	—	-109.1	—	-4.6	—	425	42.7	—	—
n-Butane	C ₄ H ₁₀	58.12	—	-138.3	4.661	-0.6	22.305	425.17	37.47	-147.0(l)	-2855.6(l)
										-124.7(g)	-2878.5(g)
Isobutane	C ₄ H ₁₀	58.12	—	-159.6	4.540	-11.73	21.292	408.1	36.0	-158.4(l)	-2849.0(l)
										-134.5(g)	-2868.8(g)
1-Butene	C ₄ H ₈	56.10	—	-185.3	3.8480	-6.25	21.916	419.6	39.7	+1.17(g)	-2718.6(g)
Calcium carbide	CaC ₂	64.10	2.22 ^{18°}	2300	—	—	—	—	—	-62.76(c)	—
Calcium carbonate	CaCO ₃	100.09	2.93	Decomposes at 825°C						-1206.9(c)	—
Calcium chloride	CaCl ₂	110.99	2.152 ^{15°}	782	28.37	>1600	—	—	—	-794.96(c)	—

Calcium hydroxide	Ca(OH) ₂	74.10	2.24			(-H ₂ O at 580°C)					-986.59(c)	—
Calcium oxide	CaO	56.08	3.32	2570	50	2850	—	—	—	—	-635.6(c)	—
Calcium phosphate	Ca ₃ (PO ₄) ₂	310.19	3.14	1670	—	—	—	—	—	—	-4138(c)	—
Calcium silicate	CaSiO ₃	116.17	2.915	1530	48.62	—	—	—	—	—	-1584(c)	—
Calcium sulfate	CaSO ₄	136.15	2.96	—	—	—	—	—	—	—	-1432.7(c)	—
Calcium sulfate (gypsum)	CaSO ₄ ·2H ₂ O	172.18	2.32			(-1.5 H ₂ O at 128°C)	—	—	—	—	-1450.4(aq)	—
Carbon (graphite)	C	12.010	2.26	3600	46.0	4200	—	—	—	—	0(c)	-393.51(c)
Carbon dioxide	CO ₂	44.01	—	-56.6 at 5.2 atm	8.33	(Sublimes at -78°C)	304.2	72.9	—	—	-412.9(l)	—
Carbon disulfide	CS ₂	76.14	1.261 ^{22°/20°}	-112.1	4.39	46.25	26.8	552.0	78.0	—	-393.5(g)	—
Carbon monoxide	CO	28.01	—	-205.1	0.837	-191.5	6.042	133.0	34.5	—	+87.9(l)	-1075.2(l)
Carbon tetrachloride	CCl ₄	153.84	1.595	-22.9	2.51	76.7	30.0	556.4	45.0	—	+115.3(g)	1102.6(g)
Chlorine	Cl ₂	70.91	—	-101.00	6.406	-34.06	20.4	417.0	76.1	—	-110.52(g)	-282.99(g)
Chlorobenzene	C ₆ H ₅ Cl	112.56	1.107	-45	—	132.10	36.5	632.4	44.6	—	-139.5(l)	-352.2(l)
Chloroethane	C ₂ H ₅ Cl	See ethyl chloride										
											-106.7(g)	-385.0(g)
											0(g)	—
											—	—

^aAdapted in part from D. M. Himmelblau, *Basic Principles and Calculations in Chemical Engineering*, 3rd Edition, ©1974, Tables D.1 and F.1. Adapted by permission of Prentice-Hall, Inc., Englewood Cliffs, NJ.

^bMelting point at 1 atm.

^cHeat of fusion at T_m and 1 atm.

^dBoiling point at 1 atm.

^eHeat of vaporization at T_b and 1 atm.

^fCritical temperature.

^gCritical pressure.

^hHeat of formation at 25°C and 1 atm.

ⁱHeat of combustion at 25°C and 1 atm. Standard states of products are CO₂(g), H₂O(l), SO₂(g), HCl(aq), and N₂(g). To calculate $\Delta\hat{H}_c^\circ$ with H₂O(g) as a product, add 44.01 n_w to the tabulated value, where n_w = moles H₂O formed/mole fuel burned.

^jTo convert $\Delta\hat{H}$ to kcal/mol, divide given value by 4.184; to convert to Btu/lb-mole, multiply by 430.28.

(continued)

Table B.1 (Continued)

Compound	Formula	Mol. Wt.	SG (20°/4°)	T _m (°C) ^b	ΔH _m (T _m) ^{c,j} kJ/mol	T _b (°C) ^d	ΔH _v (T _b) ^{e,i} kJ/mol	T _c (K) ^f	P _c (atm) ^g	(ΔH _l ^o) ^{h,j} kJ/mol	(ΔH _c ^o) ^{i,j} kJ/mol
Chloroform	CHCl ₃	119.39	1.489	-63.7	—	61.0	—	536.0	54.0	-131.8(l)	-373(l)
Copper	Cu	63.54	8.92	1083	13.01	2595	304.6	—	—	0(c)	—
Cupric sulfate	CuSO ₄	159.61	3.606 ^{15°}	—	—	Decomposes > 600°C	—	—	—	-769.9(c)	—
Cyclohexane	C ₆ H ₁₂	84.16	0.779	6.7	2.677	80.7	30.1	553.7	40.4	-156.2(l)	-3919.9(l)
Cyclopentane	C ₅ H ₁₀	70.13	0.745	-93.4	0.609	49.3	27.30	511.8	44.55	-123.1(g)	-3953.0(g)
n-Decane	C ₁₀ H ₂₂	142.28	0.730	-29.9	—	173.8	—	619.0	20.8	-105.9(l)	-3290.9(l)
Diethyl ether	(C ₂ H ₅) ₂ O	74.12	0.708 ^{25°}	-116.3	7.30	34.6	26.05	467	35.6	-77.2(g)	-3319.5(g)
Ethane	C ₂ H ₆	30.07	—	-183.3	2.859	-88.6	14.72	305.4	48.2	-249.7(l)	-6778.3(l)
Ethyl acetate	C ₄ H ₈ O ₂	88.10	0.901	-83.8	—	77.0	—	523.1	37.8	—	-6829.7(g)
Ethyl alcohol (Ethanol)	C ₂ H ₅ OH	46.07	0.789	-114.6	5.021	78.5	38.58	516.3	63.0	-272.8(l)	-2726.7(l)
Ethyl benzene	C ₈ H ₁₀	106.16	0.867	-94.67	9.163	136.2	35.98	619.7	37.0	-84.67(g)	-1559.9(g)
Ethyl bromide	C ₂ H ₅ Br	108.98	1.460	-119.1	—	38.2	—	504	61.5	-463.2(l)	-2246.4(l)
Ethyl chloride	C ₂ H ₅ Cl	64.52	0.903 ^{15°}	-138.3	4.452	13.1	24.7	460.4	52.0	-426.8(g)	—
3-Ethyl hexane	C ₈ H ₁₈	114.22	0.717	—	—	118.5	34.27	567.0	26.4	-277.63(l)	-1366.91(l)
Ethylene	C ₂ H ₄	28.05	—	-169.2	3.350	-103.7	13.54	283.1	50.5	-235.31(g)	-1409.25(g)
Ethylene glycol	C ₂ H ₆ O ₂	62.07	1.113 ^{19°}	-13	11.23	197.2	56.9	—	—	-12.46(l)	-4564.9(l)
Ferric oxide	Fe ₂ O ₃	159.70	5.12	—	—	Decomposes at 1560°C	—	—	—	+29.79(g)	-4607.1(g)
Ferrous oxide	FeO	71.85	5.7	—	—	—	—	—	—	-54.4(g)	—
Ferrous sulfide	FeS	87.92	4.84	1193	—	—	—	—	—	-105.0(g)	—
Formaldehyde	H ₂ CO	30.03	0.815 ^{-20°}	-92	—	-19.3	24.48	—	—	-250.5(l)	-5407.1(l)
Formic acid	CH ₂ O ₂	46.03	1.220	8.30	12.68	100.5	22.25	—	—	-210.9(g)	-5509.8(g)
Glycerol	C ₃ H ₈ O ₃	92.09	1.260 ^{50°}	18.20	18.30	290.0	—	—	—	+52.28(g)	-1410.99(g)
Helium	He	4.00	—	-269.7	0.02	-268.9	0.084	5.26	2.26	-451.5(l)	-1179.5(l)

<i>n</i> -Heptane	C ₇ H ₁₆	100.20	0.684	-90.59	14.03	98.43	31.69	540.2	27.0	-224.4(l) -187.8(g)	-4816.9(l) -4853.5(g)
<i>n</i> -Hexane	C ₆ H ₁₄	86.17	0.659	-95.32	13.03	68.74	28.85	507.9	29.9	-198.8(l) -167.2(g)	-4163.1(l) -4194.8(g)
Hydrogen	H ₂	2.016	—	-259.19	0.12	-252.76	0.904	33.3	12.8	0(g)	-285.84(g)
Hydrogen bromide	HBr	80.92	—	-86	—	-67	—	—	—	-36.23(g)	—
Hydrogen chloride	HCl	36.47	—	-114.2	1.99	-85.0	16.1	324.6	81.5	-92.31(g)	—
Hydrogen cyanide	HCN	27.03	—	-14	—	26	—	—	—	+130.54(g)	—
Hydrogen fluoride	HF	20.0	—	-83	—	20	—	503.2	—	-268.6(g) -316.9(aq, 200)	—
Hydrogen sulfide	H ₂ S	34.08	—	-85.5	2.38	-60.3	18.67	373.6	88.9	-19.96(g)	-562.59(g)
Iodine	I ₂	253.8	4.93	113.3	—	184.2	—	826.0	—	0(c)	—
Iron	Fe	55.85	7.7	1535	15.1	2800	354.0	—	—	0(c)	—
Lead	Pb	207.21	11.337 ^{20°/20°}	327.4	5.10	1750	179.9	—	—	0(c)	—
Lead oxide	PbO	223.21	9.5	886	11.7	1472	213	—	—	-219.2(c)	—
Magnesium	Mg	24.32	1.74	650	9.2	1120	131.8	—	—	0(c)	—
Magnesium chloride	MgCl ₂	95.23	2.325 ^{25°}	714	43.1	1418	136.8	—	—	-641.8(c)	—
Magnesium hydroxide	Mg(OH) ₂	58.34	2.4	Decomposes at 350°C				—	—	—	—
Magnesium oxide	MgO	40.32	3.65	2900	77.4	3600	—	—	—	-601.8(c)	—
Mercury	Hg	200.61	13.546	-38.87	—	-356.9	—	—	—	0(c)	—
Methane	CH ₄	16.04	—	-182.5	0.94	-161.5	8.179	190.70	45.8	-74.85(g)	-890.36(g)
Methyl acetate	C ₃ H ₆ O ₂	74.08	0.933	-98.9	—	57.1	—	506.7	46.30	-409.4(l)	-1595(l)
Methyl alcohol (Methanol)	CH ₃ OH	32.04	0.792	-97.9	3.167	64.7	35.27	513.20	78.50	-238.6(l) -201.2(g)	726.6(l) -764.0(g)
Methyl amine	CH ₃ N	31.06	0.699 ^{-11°}	-92.7	—	-6.9	—	429.9	73.60	-28.0(g)	-1071.5(l)
Methyl chloride	CH ₃ Cl	50.49	—	-97.9	—	-24	—	416.1	65.80	-81.92(g)	—

(continued)

Table B.1 (Continued)

Compound	Formula	Mol. Wt.	SG (20°/4°)	$T_m(^{\circ}\text{C})^b$	$\Delta\hat{H}_m(T_m)^{c,j}$ kJ/mol	$T_b(^{\circ}\text{C})^d$	$\Delta\hat{H}_v(T_b)^{c,j}$ kJ/mol	$T_c(\text{K})^f$	$P_c(\text{atm})^g$	$(\Delta\hat{H}_f^{\circ})^{h,j}$ kJ/mol	$(\Delta\hat{H}_c^{\circ})^{i,j}$ kJ/mol
Methyl ethyl ketone	$\text{C}_4\text{H}_8\text{O}$	72.10	0.805	-87.1	—	78.2	32.0	—	—	—	-2436(l)
Naphthalene	C_{10}H_8	128.16	1.145	80.0	—	217.8	—	—	—	—	-5157(g)
Nickel	Ni	58.69	8.90	1452	—	2900	—	—	—	0(c)	—
Nitric acid	HNO_3	63.02	1.502	-41.6	10.47	86	30.30	—	—	-173.23(l) -206.57(aq)	—
Nitrobenzene	$\text{C}_6\text{H}_5\text{O}_2\text{N}$	123.11	1.203	5.5	—	210.7	—	—	—	—	-3092.8(l)
Nitrogen	N_2	28.02	—	-210.0	0.720	-195.8	5.577	126.20	33.5	0(g)	—
Nitrogen dioxide	NO_2	46.01	—	-9.3	7.335	21.3	14.73	431.0	100.0	+33.8(g)	—
Nitric oxide	NO	30.01	—	-163.6	2.301	-151.8	13.78	179.20	65.0	+90.37(g)	—
Nitrogen pentoxide	N_2O_5	108.02	1.63 ^{18°}	30	—	47	—	—	—	—	—
Nitrogen tetroxide	N_2O_4	92.0	1.448	-9.5	—	21.1	—	431.0	99.0	+9.3(g)	—
Nitrous oxide	N_2O	44.02	1.226 ^{-89°}	-91.1	—	-88.8	—	309.5	71.70	+81.5(g)	—
<i>n</i> -Nonane	C_9H_{20}	128.25	0.718	-53.8	—	150.6	—	595	23.0	-229.0(l) —	-6124.5(l) -6171.0(g)
<i>n</i> -Octane	C_8H_{18}	114.22	0.703	-57.0	—	125.5	—	568.8	24.5	-249.9(l) -208.4(g)	-5470.7(l) -5512.2(g)
Oxalic acid	$\text{C}_2\text{H}_2\text{O}_4$	90.04	1.90	—	Decomposes at 186°C			—	—	-826.8(c)	-251.9(s)
Oxygen	O_2	32.00	—	-218.75	0.444	-182.97	6.82	154.4	49.7	0(g)	—
<i>n</i> -Pentane	C_5H_{12}	72.15	0.63 ^{18°}	-129.6	8.393	36.07	25.77	469.80	33.3	-173.0(l) -146.4(g)	-3509.5(l) -3536.1(g)
Isopentane	C_5H_{12}	72.15	0.62 ^{19°}	-160.1	—	27.7	—	461.00	32.9	-179.3(l) -152.0(g)	-3507.5(l) -3529.2(g)
1-Pentene	C_5H_{10}	70.13	0.641	-165.2	4.94	29.97	—	474	39.9	-20.9(g)	-3375.8(g)
Phenol	$\text{C}_6\text{H}_5\text{OH}$	94.11	1.071 ^{25°}	42.5	11.43	181.4	—	692.1	60.5	-158.1(l) -90.8(g)	-3063.5(s) —
Phosphoric acid	H_3PO_4	98.00	1.834 ^{18°}	42.3	10.54	$(-\frac{1}{2}\text{H}_2\text{O at } 213^{\circ}\text{C})$		—	—	-1281.1(c) -1278.6(aq, 1H ₂ O)	—
Phosphorus (red)	P_4	123.90	2.20	590 ^{43 atm}	81.17	Ignites in air, 725°C		—	—	-17.6(c) 0(c)	—

Phosphorus (white)	P ₄	123.90	1.82	44.2	2.51	280	49.71	—	—	—	—
Phosphorus pentoxide	P ₂ O ₅	141.95	2.387		Sublimes at 250°C			—	—	−1506.2(c)	—
Propane	C ₃ H ₈	44.09	—	−187.69	3.52	−42.07	18.77	369.9	42.0	−119.8(l) −103.8(g)	−2204.0(l) −2220.0(g)
Propylene	C ₃ H ₆	42.08	—	−185.2	3.00	−47.70	18.42	365.1	45.4	+20.41(g)	−2058.4(g)
<i>n</i> -Propyl alcohol	C ₃ H ₇ OH	60.09	0.804	−127	—	97.04	—	536.7	49.95	−300.70(l) −255.2(g)	−2010.4(l) −2068.6(g)
Isopropyl alcohol	C ₃ H ₇ OH	60.09	0.785	−89.7	—	82.24	—	508.8	53.0	−310.9(l)	−1986.6(l)
<i>n</i> -Propyl benzene	C ₉ H ₁₂	120.19	0.862	−99.50	8.54	159.2	38.24	638.7	31.3	−38.40(l) +7.82(g)	−5218.2(l) −5264.48(g)
Silicon dioxide	SiO ₂	60.09	2.25	1710	14.2	2230	—	—	—	−851.0(c)	—
Sodium bicarbonate	NaHCO ₃	84.01	2.20		Decomposes at 270°C			—	—	−945.6(c)	—
Sodium bisulfate	NaHSO ₄	120.07	2.742	—	—	—	—	—	—	−1126.3(c)	—
Sodium carbonate	Na ₂ CO ₃	105.99	2.533		Decomposes at 854°C			—	—	−1130.9(c)	—
Sodium chloride	NaCl	58.45	2.163	808	28.5	1465	170.7	—	—	−411.0(c)	—
Sodium cyanide	NaCN	49.01	—	562	16.7	1497	155	—	—	−89.79(c)	—
Sodium hydroxide	NaOH	40.00	2.130	319	8.34	1390	—	—	—	−426.6(c) −469.4(aq)	— —
Sodium nitrate	NaNO ₃	85.00	2.257	310	15.9	Decomposes at 380°C			—	−466.7(c)	—
Sodium nitrite	NaNO ₂	69.00	2.168 ^{0°}	271	—	Decomposes at 320°C			—	−359.4(c)	—
Sodium sulfate	Na ₂ SO ₄	142.05	2.698	890	24.3	—	—	—	—	−1384.5(c)	—
Sodium sulfide	Na ₂ S	78.05	1.856	950	6.7	—	—	—	—	−373.2(c)	—
Sodium sulfite	Na ₂ SO ₃	126.05	2.633 ^{15°}		Decomposes			—	—	−1090.3(c)	—

(continued)

Table B.1 (Continued)

Compound	Formula	Mol. Wt.	SG (20°/4°)	$T_m(^{\circ}\text{C})^b$	$\Delta\hat{H}_m(T_m)^{c,j}$ kJ/mol	$T_b(^{\circ}\text{C})^d$	$\Delta\hat{H}_v(T_b)^{e,j}$ kJ/mol	$T_c(\text{K})^f$	$P_c(\text{atm})^g$	$(\Delta\hat{H}_f^{\circ})^{h,j}$ kJ/mol	$(\Delta\hat{H}_c^{\circ})^{i,j}$ kJ/mol
Sodium thiosulfate	$\text{Na}_2\text{S}_2\text{O}_3$	158.11	1.667	—	—	—	—	—	—	-1117.1(c)	—
Sulfur (rhombic)	S_8	256.53	2.07	113	10.04	444.6	83.7	—	—	0(c)	—
Sulfur (monoclinic)	S_8	256.53	1.96	119	14.17	444.6	83.7	—	—	+0.30(c)	—
Sulfur dioxide	SO_2	64.07	—	-75.48	7.402	-10.02	24.91	430.7	77.8	-296.90(g)	—
Sulfur trioxide	SO_3	80.07	—	16.84	25.48	43.3	41.80	491.4	83.8	-395.18(g)	—
Sulfuric acid	H_2SO_4	98.08	1.834 ^{18°}	10.35	9.87	Decomposes at 340°C			—	-811.32(l) -907.51(aq)	—
Toluene	C_7H_8	92.13	0.866	-94.99	6.619	110.62	33.47	593.9	40.3	+12.00(l) +50.00(g)	-3909.9(l) -3947.9(g)
Water	H_2O	18.016	1.004°	0.00	6.0095	100.00	40.656	647.4	218.3	-285.84(l) -241.83(g)	—
<i>m</i> -Xylene	C_8H_{10}	106.16	0.864	-47.87	11.569	139.10	36.40	619	34.6	-25.42(l) +17.24(g)	-4551.9(l) -4594.5(g)
<i>o</i> -Xylene	C_8H_{10}	106.16	0.880	-25.18	13.598	144.42	36.82	631.5	35.7	-24.44(l) +18.99(g)	-4552.9(l) -4596.3(g)
<i>p</i> -Xylene	C_8H_{10}	106.16	0.861	13.26	17.11	138.35	36.07	618	33.9	-24.43(l) 17.95(g)	-4552.91(l) -4595.2(g)
Zinc	Zn	65.38	7.140	419.5	6.674	907	114.77	—	—	0(c)	—

Table B.2 Heat Capacities^a


**Physical Property
database**
Quickly integrates
tabulated heat
capacities

$$\text{Form 1: } C_p[\text{kJ}/(\text{mol}\cdot^\circ\text{C})] \text{ or } [\text{kJ}/(\text{mol}\cdot\text{K})] = a + bT + cT^2 + dT^3$$

$$\text{Form 2: } C_p[\text{kJ}/(\text{mol}\cdot^\circ\text{C})] \text{ or } [\text{kJ}/(\text{mol}\cdot\text{K})] = a + bT + cT^{-2}$$

$$\text{Example: } (C_p)_{\text{acetone(g)}} = 0.07196 + (20.10 \times 10^{-5})T - (12.78 \times 10^{-8})T^2 + (34.76 \times 10^{-12})T^3, \text{ where } T \text{ is in } ^\circ\text{C}.$$

Note: The formulas for gases are strictly applicable at pressures low enough for the ideal gas equation of state to apply.

Compound	Formula	Mol. Wt.	State	Form	Temp. Unit	$a \times 10^3$	$b \times 10^5$	$c \times 10^8$	$d \times 10^{12}$	Range (Units of T)
Acetone	CH ₃ COCH ₃	58.08	l	1	°C	123.0	18.6			−30–60
			g	1	°C	71.96	20.10	−12.78	34.76	0–1200
Acetylene	C ₂ H ₂	26.04	g	1	°C	42.43	6.053	−5.033	18.20	0–1200
Air		29.0	g	1	°C	28.94	0.4147	0.3191	−1.965	0–1500
			g	1	K	28.09	0.1965	0.4799	−1.965	273–1800
Ammonia	NH ₃	17.03	g	1	°C	35.15	2.954	0.4421	−6.686	0–1200
Ammonium sulfate	(NH ₄) ₂ SO ₄	132.15	c	1	K	215.9				275–328
Benzene	C ₆ H ₆	78.11	l	1	°C	126.5	23.4			6–67
			g	1	°C	74.06	32.95	−25.20	77.57	0–1200
Isobutane	C ₄ H ₁₀	58.12	g	1	°C	89.46	30.13	−18.91	49.87	0–1200
<i>n</i> -Butane	C ₄ H ₁₀	58.12	g	1	°C	92.30	27.88	−15.47	34.98	0–1200
Isobutene	C ₄ H ₈	56.10	g	1	°C	82.88	25.64	−17.27	50.50	0–1200
Calcium carbide	CaC ₂	64.10	c	2	K	68.62	1.19	−8.66 × 10 ¹⁰	—	298–720
Calcium carbonate	CaCO ₃	100.09	c	2	K	82.34	4.975	−12.87 × 10 ¹⁰	—	273–1033
Calcium hydroxide	Ca(OH) ₂	74.10	c	1	K	89.5				276–373
Calcium oxide	CaO	56.08	c	2	K	41.84	2.03	−4.52 × 10 ¹⁰		273–1173
Carbon	C	12.01	c	2	K	11.18	1.095	−4.891 × 10 ¹⁰		273–1373
Carbon dioxide	CO ₂	44.01	g	1	°C	36.11	4.233	−2.887	7.464	0–1500
Carbon monoxide	CO	28.01	g	1	°C	28.95	0.4110	0.3548	−2.220	0–1500
Carbon tetrachloride	CCl ₄	153.84	l	1	K	93.39	12.98			273–343
Chlorine	Cl ₂	70.91	g	1	°C	33.60	1.367	−1.607	6.473	0–1200
Copper	Cu	63.54	c	1	K	22.76	0.6117			273–1357

^aAdapted in part from D. M. Himmelblau, *Basic Principles and Calculations in Chemical Engineering*, 3rd Edition, © 1974, Table E.1. Adapted by permission of Prentice-Hall, Inc., Englewood Cliffs, NJ.

(continued)

Table B.2 (Continued)

Compound	Formula	Mol. Wt.	State	Form	Temp. Unit	$a \times 10^3$	$b \times 10^5$	$c \times 10^8$	$d \times 10^{12}$	Range (Units of T)
Cumene (Isopropyl benzene)	C_9H_{12}	120.19	g	1	°C	139.2	53.76	-39.79	120.5	0-1200
Cyclohexane	C_6H_{12}	84.16	g	1	°C	94.140	49.62	-31.90	80.63	0-1200
Cyclopentane	C_5H_{10}	70.13	g	1	°C	73.39	39.28	-25.54	68.66	0-1200
Ethane	C_2H_6	30.07	g	1	°C	49.37	13.92	-5.816	7.280	0-1200
Ethyl alcohol (Ethanol)	C_2H_5OH	46.07	l	1	°C	103.1				0
			l	1	°C	158.8				100
			g	1	°C	61.34	15.72	-8.749	19.83	0-1200
Ethylene	C_2H_4	28.05	g	1	°C	+40.75	11.47	-6.891	17.66	0-1200
Ferric oxide	Fe_2O_3	159.70	c	2	K	103.4	6.711	-17.72×10^{10}	—	273-1097
Formaldehyde	CH_2O	30.03	g	1	°C	34.28	4.268	0.0000	-8.694	0-1200
Helium	He	4.00	g	1	°C	20.8				0-1200
<i>n</i> -Hexane	C_6H_{14}	86.17	l	1	°C	216.3				20-100
			g	1	°C	137.44	40.85	-23.92	57.66	0-1200
Hydrogen	H_2	2.016	g	1	°C	28.84	0.00765	0.3288	-0.8698	0-1500
Hydrogen bromide	HBr	80.92	g	1	°C	29.10	-0.0227	0.9887	-4.858	0-1200
Hydrogen chloride	HCl	36.47	g	1	°C	29.13	-0.1341	0.9715	-4.335	0-1200
Hydrogen cyanide	HCN	27.03	g	1	°C	35.3	2.908	1.092		0-1200
Hydrogen sulfide	H_2S	34.08	g	1	°C	33.51	1.547	0.3012	-3.292	0-1500
Magnesium chloride	$MgCl_2$	95.23	c	1	K	72.4	1.58			273-991
Magnesium oxide	MgO	40.32	c	2	K	45.44	0.5008	-8.732×10^{10}		273-2073
Methane	CH_4	16.04	g	1	°C	34.31	5.469	0.3661	-11.00	0-1200
			g	1	K	19.87	5.021	1.268	-11.00	273-1500
Methyl alcohol (Methanol)	CH_3OH	32.04	l	1	°C	75.86	16.83			0-65
			g	1	°C	42.93	8.301	-1.87	-8.03	0-700
Methyl cyclohexane	C_7H_{14}	98.18	g	1	°C	121.3	56.53	-37.72	100.8	0-1200
Methyl cyclopentane	C_6H_{12}	84.16	g	1	°C	98.83	45.857	-30.44	83.81	0-1200
Nitric acid	NHO_3	63.02	l	1	°C	110.0				25
Nitric oxide	NO	30.01	g	1	°C	29.50	0.8188	-0.2925	0.3652	0-3500

Nitrogen	N ₂	28.02	g	1	°C	29.00	0.2199	0.5723	-2.871	0-1500
Nitrogen dioxide	NO ₂	46.01	g	1	°C	36.07	3.97	-2.88	7.87	0-1200
Nitrogen tetraoxide	N ₂ O ₄	92.02	g	1	°C	75.7	12.5	-11.3		0-300
Nitrous oxide	N ₂ O	44.02	g	1	°C	37.66	4.151	-2.694	10.57	0-1200
Oxygen	O ₂	32.00	g	1	°C	29.10	1.158	-0.6076	1.311	0-1500
<i>n</i> -Pentane	C ₅ H ₁₂	72.15	l	1	°C	155.4	43.68			0-36
			g	1	°C	114.8	34.09	-18.99	42.26	0-1200
Propane	C ₃ H ₈	44.09	g	1	°C	68.032	22.59	-13.11	31.71	0-1200
Propylene	C ₃ H ₆	42.08	g	1	°C	59.580	17.71	-10.17	24.60	0-1200
Sodium carbonate	Na ₂ CO ₃	105.99	c	1	K	121				288-371
Sodium carbonate decahydrate	Na ₂ CO ₃ · 10H ₂ O	286.15	c	1	K	535.6				298
Sulfur	S	32.07	c	1	K	15.2	2.68			273-368
			(Rhombic)							
			c	1	K	18.3	1.84			368-392
			(Monoclinic)							
Sulfuric acid	H ₂ SO ₄	98.08	l	1	°C	139.1	15.59			10-45
Sulfur dioxide	SO ₂	64.07	g	1	°C	38.91	3.904	-3.104	8.606	0-1500
Sulfur trioxide	SO ₃	80.07	g	1	°C	48.50	9.188	-8.540	32.40	0-1000
Toluene	C ₇ H ₈	92.13	l	1	°C	148.8	32.4			0-110
			g	1	°C	94.18	38.00	-27.86	80.33	0-1200
Water	H ₂ O	18.016	l	1	°C	75.4				0-100
			g	1	°C	33.46	0.6880	0.7604	-3.593	0-1500

Table B.3 Vapor Pressure of Water^a

p_v (mm Hg) versus T (°C)											
<i>Example: The vapor pressure of liquid water at 4.3°C is 6.230 mm Hg</i>											
	T (°C)	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9
↓ Ice	-14	1.361	1.348	1.336	1.324	1.312	1.300	1.288	1.276	1.264	1.253
	-13	1.490	1.477	1.464	1.450	1.437	1.424	1.411	1.399	1.386	1.373
	-12	1.632	1.617	1.602	1.588	1.574	1.559	1.546	1.532	1.518	1.504
	-11	1.785	1.769	1.753	1.737	1.722	1.707	1.691	1.676	1.661	1.646
	-10	1.950	1.934	1.916	1.899	1.883	1.866	1.849	1.833	1.817	1.800
	-9	2.131	2.122	2.093	2.075	2.057	2.039	2.021	2.003	1.985	1.968
	-8	2.326	2.306	2.285	2.266	2.246	2.226	2.207	2.187	2.168	2.149
	-7	2.537	2.515	2.493	2.472	2.450	2.429	2.408	2.387	2.367	2.346
	-6	2.765	2.742	2.718	2.695	2.672	2.649	2.626	2.603	2.581	2.559
	-5	3.013	2.987	2.962	2.937	2.912	2.887	2.862	2.838	2.813	2.790
	-4	3.280	3.252	3.225	3.198	3.171	3.144	3.117	3.091	3.065	3.039
	-3	3.568	3.539	3.509	3.480	3.451	3.422	3.393	3.364	3.336	3.308
	-2	3.880	3.848	3.816	3.785	3.753	3.722	3.691	3.660	3.630	3.599
	-1	4.217	4.182	4.147	4.113	4.079	4.045	4.012	3.979	3.946	3.913
	-0	4.579	4.542	4.504	4.467	4.431	4.395	4.359	4.323	4.287	4.252
↓ Liquid water	0	4.579	4.613	4.647	4.681	4.715	4.750	4.785	4.820	4.855	4.890
	1	4.926	4.962	4.998	5.034	5.070	5.107	5.144	5.181	5.219	5.256
	2	5.294	5.332	5.370	5.408	5.447	5.486	5.525	5.565	5.605	5.645
	3	5.685	5.725	5.766	5.807	5.848	5.889	5.931	5.973	6.015	6.058
	4	6.101	6.144	6.187	6.230	6.274	6.318	6.363	6.408	6.453	6.498
	5	6.543	6.589	6.635	6.681	6.728	6.775	6.822	6.869	6.917	6.965
	6	7.013	7.062	7.111	7.160	7.209	7.259	7.309	7.360	7.411	7.462
	7	7.513	7.565	7.617	7.669	7.722	7.775	7.828	7.882	7.936	7.990
	8	8.045	8.100	8.155	8.211	8.267	8.323	8.380	8.437	8.494	8.551
	9	8.609	8.668	8.727	8.786	8.845	8.905	8.965	9.025	9.086	9.147
	10	9.209	9.271	9.333	9.395	9.458	9.521	9.585	9.649	9.714	9.779
	11	9.844	9.910	9.976	10.042	10.109	10.176	10.244	10.312	10.380	10.449
	12	10.518	10.588	10.658	10.728	10.799	10.870	10.941	11.013	11.085	11.158
	13	11.231	11.305	11.379	11.453	11.528	11.604	11.680	11.756	11.833	11.910
	14	11.987	12.065	12.144	12.223	12.302	12.382	12.462	12.543	12.624	12.706
	15	12.788	12.870	12.953	13.037	13.121	13.205	13.290	13.375	13.461	13.547
	16	13.634	13.721	13.809	13.898	13.987	14.076	14.166	14.256	14.347	14.438
	17	14.530	14.622	14.715	14.809	14.903	14.997	15.092	15.188	15.284	15.380
	18	15.477	15.575	15.673	15.772	15.871	15.971	16.071	16.171	16.272	16.374
	19	16.477	16.581	16.685	16.789	16.894	16.999	17.105	17.212	17.319	17.427
	20	17.535	17.644	17.753	17.863	17.974	18.085	18.197	18.309	18.422	18.536
	21	18.650	18.765	18.880	18.996	19.113	19.231	19.349	19.468	19.587	19.707
	22	19.827	19.948	20.070	20.193	20.316	20.440	20.565	20.690	20.815	20.941
	23	21.068	21.196	21.324	21.453	21.583	21.714	21.845	21.977	22.110	22.243
	24	22.377	22.512	22.648	22.785	22.922	23.060	23.198	23.337	23.476	23.616

^aFrom R. H. Perry and C. H. Chilton, Eds., *Chemical Engineers' Handbook*, 5th Edition. McGraw-Hill, New York, 1973, Tables 3-3 and 3-5. Reprinted by permission of McGraw-Hill Book Co.

(continued)

Table B.3 (Continued)

$T(^{\circ}\text{C})$	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9
25	23.756	23.897	24.039	24.182	24.326	24.471	24.617	24.764	24.912	25.060
26	25.209	25.359	25.509	25.660	25.812	25.964	26.117	26.271	26.426	26.582
27	26.739	26.897	27.055	27.214	27.374	27.535	27.696	27.858	28.021	28.185
28	28.349	28.514	28.680	28.847	29.015	29.184	29.354	29.525	29.697	29.870
29	30.043	30.217	30.392	30.568	30.745	30.923	31.102	31.281	31.461	31.642
30	31.824	32.007	32.191	32.376	32.561	32.747	32.934	33.122	33.312	33.503
31	33.695	33.888	34.082	34.276	34.471	34.667	34.864	35.062	35.261	35.462
32	35.663	35.865	36.068	36.272	36.477	36.683	36.891	37.099	37.308	37.518
33	37.729	37.942	38.155	38.369	38.584	38.801	38.018	39.237	39.457	39.677
34	39.898	40.121	40.344	40.569	40.796	41.023	41.251	41.480	41.710	41.942
35	42.175	42.409	42.644	42.880	43.117	43.355	43.595	43.836	44.078	44.320
36	44.563	44.808	45.054	45.301	45.549	45.799	46.050	46.302	46.556	46.811
37	47.067	47.324	47.582	47.841	48.102	48.364	48.627	48.891	49.157	49.424
38	49.692	49.961	50.231	50.502	50.774	51.048	51.323	51.600	51.879	52.160
39	52.442	52.725	53.009	53.294	53.580	53.867	54.156	54.446	54.737	55.030
40	55.324	55.61	55.91	56.21	56.51	56.81	57.11	57.41	57.72	58.03
41	58.34	58.65	58.96	59.27	59.58	59.90	60.22	60.54	60.86	61.18
42	61.50	61.82	62.14	62.47	62.80	63.13	63.46	63.79	64.12	64.46
43	64.80	65.14	65.48	65.82	66.16	66.51	66.86	67.21	67.56	67.91
44	68.26	68.61	68.97	69.33	69.69	70.05	70.41	70.77	71.14	71.51
45	71.88	72.25	72.62	72.99	73.36	73.74	74.12	74.50	74.88	75.26
46	75.65	76.04	76.43	76.82	77.21	77.60	78.00	78.40	78.80	79.20
47	79.60	80.00	80.41	80.82	81.23	81.64	82.05	82.46	82.87	83.29
48	83.71	84.13	84.56	84.99	85.42	85.85	86.28	86.71	87.14	87.58
49	88.02	88.46	88.90	89.34	89.79	90.24	90.69	91.14	91.59	92.05
$T(^{\circ}\text{C})$	0	1	2	3	4	5	6	7	8	9
50	92.51	97.20	102.09	107.20	112.51	118.04	123.80	129.82	136.08	142.60
60	149.38	156.43	163.77	171.38	179.31	187.54	196.09	204.96	214.17	223.73
70	233.7	243.9	254.6	265.7	277.2	289.1	301.4	314.1	327.3	341.0
80	355.1	369.7	384.9	400.6	416.8	433.6	450.9	468.7	487.1	506.1
$T(^{\circ}\text{C})$	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9
90	525.76	527.76	529.77	531.78	533.80	535.82	537.86	539.90	541.95	544.00
91	546.05	548.11	550.18	552.26	554.35	556.44	558.53	560.64	562.75	564.87
92	566.99	569.12	571.26	573.40	575.55	577.71	579.87	582.04	584.22	586.41
93	588.60	590.80	593.00	595.21	597.43	599.66	601.89	604.13	606.38	608.64
94	610.90	613.17	615.44	617.72	620.01	622.31	624.61	626.92	629.24	631.57
95	633.90	636.24	638.59	640.94	643.30	645.67	648.05	650.43	652.82	655.22
96	657.62	660.03	662.45	664.88	667.31	669.75	672.20	674.66	677.12	679.69
97	682.07	684.55	687.04	689.54	692.05	694.57	697.10	699.63	702.17	704.71
98	707.27	709.83	712.40	714.98	717.56	720.15	722.75	725.36	727.98	730.61
99	733.24	735.88	738.53	741.18	743.85	746.52	749.20	751.89	754.58	757.29
100	760.00	762.72	765.45	768.19	770.93	773.68	776.44	779.22	782.00	784.78
101	787.57	790.37	793.18	796.00	798.82	801.66	804.50	807.35	810.21	813.08

Table B.4 Antoine Equation Constants^a

$\log_{10} p^* = A - \frac{B}{T + C} \quad p^* \text{ in mm Hg, } T \text{ in } ^\circ\text{C}$					
<i>Example:</i> The vapor pressure of acetaldehyde at 25°C is determined as follows:					
$\log_{10} p_{\text{C}_2\text{H}_4\text{O}}^*(25^\circ\text{C}) = 8.00552 - \frac{1600.017}{25 + 291.809} = 2.9551$					
$\Rightarrow p_{\text{C}_2\text{H}_4\text{O}}^*(25^\circ\text{C}) = 10^{2.9551} = 902 \text{ mm Hg}$					
Compound	Formula	Range (°C)	A	B	C
Acetaldehyde	C ₂ H ₄ O	−0.2 to 34.4	8.00552	1600.017	291.809
Acetic acid	C ₂ H ₄ O ₂	29.8 to 126.5	7.38782	1533.313	222.309
Acetic acid*	C ₂ H ₄ O ₂	0 to 36	7.18807	1416.7	225
Acetic anhydride	C ₄ H ₆ O ₃	62.8 to 139.4	7.14948	1444.718	199.817
Acetone	C ₃ H ₆ O	−12.9 to 55.3	7.11714	1210.595	229.664
Acrylic acid	C ₃ H ₄ O ₂	20.0 to 70.0	5.65204	648.629	154.683
Ammonia*	NH ₃	−83 to 60	7.55466	1002.711	247.885
Aniline	C ₆ H ₇ N	102.6 to 185.2	7.32010	1731.515	206.049
Benzene	C ₆ H ₆	14.5 to 80.9	6.89272	1203.531	219.888
<i>n</i> -Butane	<i>n</i> -C ₄ H ₁₀	−78.0 to −0.3	6.82485	943.453	239.711
<i>i</i> -Butane	<i>i</i> -C ₄ H ₁₀	−85.1 to −11.6	6.78866	899.617	241.942
1-Butanol	C ₄ H ₁₀ O	89.2 to 125.7	7.36366	1305.198	173.427
2-Butanol	C ₄ H ₁₀ O	72.4 to 107.1	7.20131	1157.000	168.279
1-Butene	C ₄ H ₈	−77.5 to −3.7	6.53101	810.261	228.066
Butyric acid	C ₄ H ₈ O ₂	20.0 to 150.0	8.71019	2433.014	255.189
Carbon disulfide	CS ₂	3.6 to 79.9	6.94279	1169.110	241.593
Carbon tetrachloride	CCl ₄	14.1 to 76.0	6.87926	1212.021	226.409
Chlorobenzene	C ₆ H ₅ Cl	62.0 to 131.7	6.97808	1431.053	217.550
Chlorobenzene*	C ₆ H ₅ Cl	0 to 42	7.10690	1500.0	224.0
Chlorobenzene*	C ₆ H ₅ Cl	42 to 230	6.94504	1413.12	216.0
Chloroform	CHCl ₃	−10.4 to 60.3	6.95465	1170.966	226.232
Chloroform*	CHCl ₃	−30 to 150	6.90328	1163.03	227.4
Cyclohexane	C ₆ H ₁₂	19.9 to 81.6	6.84941	1206.001	223.148
Cyclohexanol	C ₆ H ₁₂ O	93.7 to 160.7	6.25530	912.866	109.126
<i>n</i> -Decane	<i>n</i> -C ₁₀ H ₂₂	94.5 to 175.1	6.95707	1503.568	194.738
1-Decene	C ₁₀ H ₂₀	86.8 to 171.6	6.95433	1497.527	197.056
1,1-Dichloroethane	C ₂ H ₄ Cl ₂	−38.8 to 17.6	6.97702	1174.022	229.060
1,2-Dichloroethane	C ₂ H ₄ Cl	−30.8 to 99.4	7.02530	1271.254	222.927
Dichloromethane	CH ₂ Cl ₂	−40.0 to 40	7.40916	1325.938	252.616
Diethyl ether	C ₄ H ₁₀ O	−60.8 to 19.9	6.92032	1064.066	228.799
Diethyl ketone	C ₅ H ₁₀ O	56.5 to 111.3	7.02529	1310.281	214.192
Diethylene glycol	C ₄ H ₁₀ O ₂	130.0 to 243.0	7.63666	1939.359	162.714
Dimethyl ether	C ₂ H ₆ O	−78.2 to −24.9	6.97603	889.264	241.957
Dimethylamine	C ₂ H ₇ N	−71.8 to 6.9	7.08212	960.242	221.667
<i>N,N</i> -Dimethylformamide	C ₃ H ₇ NO	30.0 to 90.0	6.92796	1400.869	196.434
1,4-Dioxane	C ₄ H ₈ O ₂	20.0 to 105.0	7.43155	1554.679	240.337
Ethanol	C ₂ H ₆ O	19.6 to 93.4	8.11220	1592.864	226.184
Ethanolamine	C ₂ H ₇ NO	65.4 to 170.9	7.45680	1577.670	173.368
Ethyl acetate	C ₄ H ₈ O ₂	15.6 to 75.8	7.10179	1244.951	217.881
Ethyl acetate*	C ₄ H ₈ O ₂	−20 to 150	7.09808	1238.710	217.0
Ethyl chloride	C ₂ H ₅ Cl	−55.9 to 12.5	6.98647	1030.007	238.612
Ethylbenzene	C ₈ H ₁₀	56.5 to 137.1	6.95650	1423.543	213.091

^aAdapted from T. Boublik, V. Fried, and E. Hala, *The Vapour Pressures of Pure Substances*, Elsevier, Amsterdam, 1973. If marked with an asterisk (*), constants are from *Lange's Handbook of Chemistry*, 9th Edition, Handbook Publishers, Inc., Sandusky, OH, 1956.

(continued)

Table B.4 (Continued)

Compound	Formula	Range (°C)	A	B	C
Ethylene glycol	C ₂ H ₆ O ₂	50.0 to 200.0	8.09083	2088.936	203.454
Ethylene oxide	C ₂ H ₄ O	0.3 to 31.8	8.69016	2005.779	334.765
1,2-Ethylenediamine	C ₂ H ₈ N ₂	26.5 to 117.4	7.16871	1336.235	194.366
Formaldehyde	HCHO	-109.4 to -22.3	7.19578	970.595	244.124
Formic acid	CH ₂ O ₂	37.4 to 100.7	7.58178	1699.173	260.714
Glycerol	C ₃ H ₈ O ₃	183.3 to 260.4	6.16501	1036.056	28.097
<i>n</i> -Heptane	<i>n</i> -C ₇ H ₁₆	25.9 to 99.3	6.90253	1267.828	216.823
<i>i</i> -Heptane	<i>i</i> -C ₇ H ₁₆	18.5 to 90.9	6.87689	1238.122	219.783
1-Heptene	C ₇ H ₁₄	21.6 to 94.5	6.91381	1265.120	220.051
<i>n</i> -Hexane	<i>n</i> -C ₆ H ₁₄	13.0 to 69.5	6.88555	1175.817	224.867
<i>i</i> -Hexane	<i>i</i> -C ₆ H ₁₄	12.8 to 61.1	6.86839	1151.401	228.477
1-Hexene	C ₆ H ₁₂	15.9 to 64.3	6.86880	1154.646	226.046
Hydrogen Cyanide	HCN	-16.4 to 46.2	7.52823	1329.49	260.418
Methanol	CH ₃ OH	14.9 to 83.7	8.08097	1582.271	239.726
Methanol*	CH ₃ OH	-20 to 140	7.87863	1473.11	230.0
Methyl acetate	C ₃ H ₆ O ₂	1.8 to 55.8	7.06524	1157.630	219.726
Methyl bromide	CH ₃ Br	-70.0 to 3.6	7.09084	1046.066	244.914
Methyl chloride	CH ₃ Cl	-75.0 to 5.0	7.09349	948.582	249.336
Methyl ethyl ketone	C ₄ H ₈ O	42.8 to 88.4	7.06356	1261.339	221.969
Methyl isobutyl ketone	C ₆ H ₁₂ O	21.7 to 116.2	6.67272	1168.408	191.944
Methyl methacrylate	C ₅ H ₈ O ₂	39.2 to 89.2	8.40919	2050.467	274.369
Methylamine	CH ₅ N	-83.1 to -6.2	7.33690	1011.532	233.286
Methylcyclohexane	C ₇ H ₁₄	25.6 to 101.8	6.82827	1273.673	221.723
Naphthalene	C ₁₀ H ₈	80.3 to 179.5	7.03358	1756.328	204.842
Nitrobenzene	C ₆ H ₅ NO ₂	134.1 to 210.6	7.11562	1746.586	201.783
Nitromethane	CH ₃ NO ₂	55.7 to 136.4	7.28166	1446.937	227.600
<i>n</i> -Nonane	<i>n</i> -C ₉ H ₂₀	70.3 to 151.8	6.93764	1430.459	201.808
1-Nonene	C ₉ H ₁₈	66.6 to 147.9	6.95777	1437.862	205.814
<i>n</i> -Octane	<i>n</i> -C ₈ H ₁₈	52.9 to 126.6	6.91874	1351.756	209.100
<i>i</i> -Octane	<i>i</i> -C ₈ H ₁₈	41.7 to 118.5	6.88814	1319.529	211.625
1-Octene	C ₈ H ₁₆	44.9 to 122.2	6.93637	1355.779	213.022
<i>n</i> -Pentane	<i>n</i> -C ₅ H ₁₂	13.3 to 36.8	6.84471	1060.793	231.541
<i>i</i> -Pentane	<i>i</i> -C ₅ H ₁₂	16.3 to 28.6	6.73457	992.019	229.564
1-Pentanol	C ₅ H ₁₂ O	74.7 to 156.0	7.18246	1287.625	161.330
1-Pentene	C ₅ H ₁₀	12.8 to 30.7	6.84268	1043.206	233.344
Phenol	C ₆ H ₆ O	107.2 to 181.8	7.13301	1516.790	174.954
1-Propanol	C ₃ H ₈ O	60.2 to 104.6	7.74416	1437.686	198.463
2-Propanol	C ₃ H ₈ O	52.3 to 89.3	7.74021	1359.517	197.527
Propionic acid	C ₃ H ₆ O ₂	72.4 to 128.3	7.71423	1733.418	217.724
Propylene oxide	C ₃ H ₆ O	-24.2 to 34.8	7.01443	1086.369	228.594
Pyridine	C ₅ H ₅ N	67.3 to 152.9	7.04115	1373.799	214.979
Styrene	C ₈ H ₈	29.9 to 144.8	7.06623	1507.434	214.985
Toluene	C ₇ H ₈	35.3 to 111.5	6.95805	1346.773	219.693
1,1,1-Trichloroethane	C ₂ H ₃ Cl ₃	-5.4 to 16.9	8.64344	2136.621	302.769
1,1,2-Trichloroethane	C ₂ H ₃ Cl ₃	50.0 to 113.7	6.95185	1314.410	209.197
Trichloroethylene	C ₂ HCl ₃	17.8 to 86.5	6.51827	1018.603	192.731
Vinyl acetate	C ₄ H ₆ O ₂	21.8 to 72.0	7.21010	1296.130	226.655
Water*	H ₂ O	0 to 60	8.10765	1750.286	235.000
Water*	H ₂ O	60 to 150	7.96681	1668.210	228.000
<i>m</i> -Xylene	<i>m</i> -C ₈ H ₁₀	59.2 to 140.0	7.00646	1460.183	214.827
<i>o</i> -Xylene	<i>o</i> -C ₈ H ₁₀	63.5 to 145.4	7.00154	1476.393	213.872
<i>p</i> -Xylene	<i>p</i> -C ₈ H ₁₀	58.3 to 139.3	6.98820	1451.792	215.111

Table B.5 Properties of Saturated Steam: Temperature Table^a

$T(^{\circ}\text{C})$	$P(\text{bar})$	$\hat{V}(\text{m}^3/\text{kg})$		$\hat{U}(\text{kJ/kg})$		$\hat{H}(\text{kJ/kg})$		
		Water	Steam	Water	Steam	Water	Evaporation	Steam
0.01	0.00611	0.001000	206.2	zero	2375.6	+0.0	2501.6	2501.6
2	0.00705	0.001000	179.9	8.4	2378.3	8.4	2496.8	2505.2
4	0.00813	0.001000	157.3	16.8	2381.1	16.8	2492.1	2508.9
6	0.00935	0.001000	137.8	25.2	2383.8	25.2	2487.4	2512.6
8	0.01072	0.001000	121.0	33.6	2386.6	33.6	2482.6	2516.2
10	0.01227	0.001000	106.4	42.0	2389.3	42.0	2477.9	2519.9
12	0.01401	0.001000	93.8	50.4	2392.1	50.4	2473.2	2523.6
14	0.01597	0.001001	82.9	58.8	2394.8	58.8	2468.5	2527.2
16	0.01817	0.001001	73.4	67.1	2397.6	67.1	2463.8	2530.9
18	0.02062	0.001001	65.1	75.5	2400.3	75.5	2459.0	2534.5
20	0.0234	0.001002	57.8	83.9	2403.0	83.9	2454.3	2538.2
22	0.0264	0.001002	51.5	92.2	2405.8	92.2	2449.6	2541.8
24	0.0298	0.001003	45.9	100.6	2408.5	100.6	2444.9	2545.5
25	0.0317	0.001003	43.4	104.8	2409.9	104.8	2442.5	2547.3
26	0.0336	0.001003	41.0	108.9	2411.2	108.9	2440.2	2549.1
28	0.0378	0.001004	36.7	117.3	2414.0	117.3	2435.4	2552.7
30	0.0424	0.001004	32.9	125.7	2416.7	125.7	2430.7	2556.4
32	0.0475	0.001005	29.6	134.0	2419.4	134.0	2425.9	2560.0
34	0.0532	0.001006	26.6	142.4	2422.1	142.4	2421.2	2563.6
36	0.0594	0.001006	24.0	150.7	2424.8	150.7	2416.4	2567.2
38	0.0662	0.001007	21.6	159.1	2427.5	159.1	2411.7	2570.8
40	0.0738	0.001008	19.55	167.4	2430.2	167.5	2406.9	2574.4
42	0.0820	0.001009	17.69	175.8	2432.9	175.8	2402.1	2577.9
44	0.0910	0.001009	16.04	184.2	2435.6	184.2	2397.3	2581.5
46	0.1009	0.001010	14.56	192.5	2438.3	192.5	2392.5	2585.1
48	0.1116	0.001011	13.23	200.9	2440.9	200.9	2387.7	2588.6
50	0.1234	0.001012	12.05	209.2	2443.6	209.3	2382.9	2592.2
52	0.1361	0.001013	10.98	217.7	2446	217.7	2377	2595
54	0.1500	0.001014	10.02	226.0	2449	226.0	2373	2599
56	0.1651	0.001015	9.158	234.4	2451	234.4	2368	2602
58	0.1815	0.001016	8.380	242.8	2454	242.8	2363	2606
60	0.1992	0.001017	7.678	251.1	2456	251.1	2358	2609
62	0.2184	0.001018	7.043	259.5	2459	259.5	2353	2613
64	0.2391	0.001019	6.468	267.9	2461	267.9	2348	2616
66	0.2615	0.001020	5.947	276.2	2464	276.2	2343	2619
68	0.2856	0.001022	5.475	284.6	2467	284.6	2338	2623

^aFrom R. W. Haywood, *Thermodynamic Tables in SI (Metric) Units*, Cambridge University Press, London, 1968. $\hat{V}$ = specific volume, $\hat{U}$ = specific internal energy, and $\hat{H}$ = specific enthalpy. Note: $\text{kJ/kg} \times 0.4303 = \text{Btu/lb}_m$.

(continued)

Table B.5 (Continued)

$T(^{\circ}\text{C})$	$P(\text{bar})$	$\hat{V}(\text{m}^3/\text{kg})$		$\hat{U}(\text{kJ/kg})$		$\hat{H}(\text{kJ/kg})$		
		Water	Steam	Water	Steam	Water	Evaporation	Steam
70	0.3117	0.001023	5.045	293.0	2469	293.0	2333	2626
72	0.3396	0.001024	4.655	301.4	2472	301.4	2329	2630
74	0.3696	0.001025	4.299	309.8	2474	309.8	2323	2633
76	0.4019	0.001026	3.975	318.2	2476	318.2	2318	2636
78	0.4365	0.001028	3.679	326.4	2479	326.4	2313	2639
80	0.4736	0.001029	3.408	334.8	2482	334.9	2308	2643
82	0.5133	0.001030	3.161	343.2	2484	343.3	2303	2646
84	0.5558	0.001032	2.934	351.6	2487	351.7	2298	2650
86	0.6011	0.001033	2.727	360.0	2489	360.1	2293	2653
88	0.6495	0.001034	2.536	368.4	2491	368.5	2288	2656
90	0.7011	0.001036	2.361	376.9	2493	377.0	2282	2659
92	0.7560	0.001037	2.200	385.3	2496	385.4	2277	2662
94	0.8145	0.001039	2.052	393.7	2499	393.8	2272	2666
96	0.8767	0.001040	1.915	402.1	2501	402.2	2267	2669
98	0.9429	0.001042	1.789	410.6	2504	410.7	2262	2673
100	1.0131	0.001044	1.673	419.0	2507	419.1	2257	2676
102	1.0876	0.001045	1.566	427.1	2509	427.5	2251	2679

Table B.6 Properties of Saturated Steam: Pressure Table^a

$P(\text{bar})$	$T(^{\circ}\text{C})$	$\hat{V}(\text{m}^3/\text{kg})$		$\hat{U}(\text{kJ/kg})$		$\hat{H}(\text{kJ/kg})$		
		Water	Steam	Water	Steam	Water	Evaporation	Steam
0.00611	0.01	0.001000	206.2	zero	2375.6	+0.0	2501.6	2501.6
0.008	3.8	0.001000	159.7	15.8	2380.7	15.8	2492.6	2508.5
0.010	7.0	0.001000	129.2	29.3	2385.2	29.3	2485.0	2514.4
0.012	9.7	0.001000	108.7	40.6	2388.9	40.6	2478.7	2519.3
0.014	12.0	0.001000	93.9	50.3	2392.0	50.3	2473.2	2523.5
0.016	14.0	0.001001	82.8	58.9	2394.8	58.9	2468.4	2527.3
0.018	15.9	0.001001	74.0	66.5	2397.4	66.5	2464.1	2530.6
0.020	17.5	0.001001	67.0	73.5	2399.6	73.5	2460.2	2533.6
0.022	19.0	0.001002	61.2	79.8	2401.7	79.8	2456.6	2536.4
0.024	20.4	0.001002	56.4	85.7	2403.6	85.7	2453.3	2539.0
0.026	21.7	0.001002	52.3	91.1	2405.4	91.1	2450.2	2541.3
0.028	23.0	0.001002	48.7	96.2	2407.1	96.2	2447.3	2543.6
0.030	24.1	0.001003	45.7	101.0	2408.6	101.0	2444.6	2545.6
0.035	26.7	0.001003	39.5	111.8	2412.2	111.8	2438.5	2550.4
0.040	29.0	0.001004	34.8	121.4	2415.3	121.4	2433.1	2554.5
0.045	31.0	0.001005	31.1	130.0	2418.1	130.0	2428.2	2558.2
0.050	32.9	0.001005	28.2	137.8	2420.6	137.8	2423.8	2561.6
0.060	36.2	0.001006	23.74	151.5	2425.1	151.5	2416.0	2567.5
0.070	39.0	0.001007	20.53	163.4	2428.9	163.4	2409.2	2572.6
0.080	41.5	0.001008	18.10	173.9	2432.3	173.9	2403.2	2577.1
0.090	43.8	0.001009	16.20	183.3	2435.3	183.3	2397.9	2581.1
0.10	45.8	0.001010	14.67	191.8	2438.0	191.8	2392.9	2584.8
0.11	47.7	0.001011	13.42	199.7	2440.5	199.7	2388.4	2588.1
0.12	49.4	0.001012	12.36	206.9	2442.8	206.9	2384.3	2591.2
0.13	51.1	0.001013	11.47	213.7	2445.0	213.7	2380.4	2594.0
0.14	52.6	0.001013	10.69	220.0	2447.0	220.0	2376.7	2596.7

0.15	54.0	0.001014	10.02	226.0	2448.9	226.0	2373.2	2599.2
0.16	55.3	0.001015	9.43	231.6	2450.6	231.6	2370.0	2601.6
0.17	56.6	0.001015	8.91	236.9	2452.3	236.9	2366.9	2603.8
0.18	57.8	0.001016	8.45	242.0	2453.9	242.0	2363.9	2605.9
0.19	59.0	0.001017	8.03	246.8	2455.4	246.8	2361.1	2607.9
0.20	60.1	0.001017	7.65	251.5	2456.9	251.5	2358.4	2609.9
0.22	62.2	0.001018	7.00	260.1	2459.6	260.1	2353.3	2613.5
0.24	64.1	0.001019	6.45	268.2	2462.1	268.2	2348.6	2616.8
0.26	65.9	0.001020	5.98	275.6	2464.4	275.7	2344.2	2619.9
0.28	67.5	0.001021	5.58	282.7	2466.5	282.7	2340.0	2622.7
0.30	69.1	0.001022	5.23	289.3	2468.6	289.3	2336.1	2625.4
0.35	72.7	0.001025	4.53	304.3	2473.1	304.3	2327.2	2631.5
0.40	75.9	0.001027	3.99	317.6	2477.1	317.7	2319.2	2636.9
0.45	78.7	0.001028	3.58	329.6	2480.7	329.6	2312.0	2641.7
0.50	81.3	0.001030	3.24	340.5	2484.0	340.6	2305.4	2646.0
0.55	83.7	0.001032	2.96	350.6	2486.9	350.6	2299.3	2649.9
0.60	86.0	0.001033	2.73	359.9	2489.7	359.9	2293.6	2653.6
0.65	88.0	0.001035	2.53	368.5	2492.2	368.6	2288.3	2656.9
0.70	90.0	0.001036	2.36	376.7	2494.5	376.8	2283.3	2660.1
0.75	91.8	0.001037	2.22	384.4	2496.7	384.5	2278.6	2663.0
0.80	93.5	0.001039	2.087	391.6	2498.8	391.7	2274.1	2665.8
0.85	95.2	0.001040	1.972	398.5	2500.8	398.6	2269.8	2668.4
0.90	96.7	0.001041	1.869	405.1	2502.6	405.2	2265.6	2670.9
0.95	98.2	0.001042	1.777	411.4	2504.4	411.5	2261.7	2673.2
1.00	99.6	0.001043	1.694	417.4	2506.1	417.5	2257.9	2675.4
1.01325	100.0	0.001044	1.673	419.0	2506.5	419.1	2256.9	2676.0

(1 atm)

^aFrom R. W. Haywood, *Thermodynamic Tables in SI (Metric) Units*, Cambridge University Press, London, 1968. $\hat{V}$ = specific volume, $\hat{U}$ = specific internal energy, and $\hat{H}$ = specific enthalpy. Note: $\text{kJ/kg} \times 0.4303 = \text{Btu/lb}_m$.

(continued)

Table B.6 (Continued)

$P(\text{bar})$	$T(^{\circ}\text{C})$	$\hat{V}(\text{m}^3/\text{kg})$		$\hat{U}(\text{kJ/kg})$		$\hat{H}(\text{kJ/kg})$		
		Water	Steam	Water	Steam	Water	Evaporation	Steam
1.1	102.3	0.001046	1.549	428.7	2509.2	428.8	2250.8	2679.6
1.2	104.8	0.001048	1.428	439.2	2512.1	439.4	2244.1	2683.4
1.3	107.1	0.001049	1.325	449.1	2514.7	449.2	2237.8	2687.0
1.4	109.3	0.001051	1.236	458.3	2517.2	458.4	2231.9	2690.3
1.5	111.4	0.001053	1.159	467.0	2519.5	467.1	2226.2	2693.4
1.6	113.3	0.001055	1.091	475.2	2521.7	475.4	2220.9	2696.2
1.7	115.2	0.001056	1.031	483.0	2523.7	483.2	2215.7	2699.0
1.8	116.9	0.001058	0.977	490.5	2525.6	490.7	2210.8	2701.5
1.9	118.6	0.001059	0.929	497.6	2527.5	497.8	2206.1	2704.0
2.0	120.2	0.001061	0.885	504.5	2529.2	504.7	2201.6	2706.3
2.2	123.3	0.001064	0.810	517.4	2532.4	517.6	2193.0	2710.6
2.4	126.1	0.001066	0.746	529.4	2535.4	529.6	2184.9	2714.5
2.6	128.7	0.001069	0.693	540.6	2538.1	540.9	2177.3	2718.2
2.8	131.2	0.001071	0.646	551.1	2540.6	551.4	2170.1	2721.5
3.0	133.5	0.001074	0.606	561.1	2543.0	561.4	2163.2	2724.7
3.2	135.8	0.001076	0.570	570.6	2545.2	570.9	2156.7	2727.6
3.4	137.9	0.001078	0.538	579.6	2547.2	579.9	2150.4	2730.3
3.6	139.9	0.001080	0.510	588.1	2549.2	588.5	2144.4	2732.9
3.8	141.8	0.001082	0.485	596.4	2551.0	596.8	2138.6	2735.3
4.0	143.6	0.001084	0.462	604.2	2552.7	604.7	2133.0	2737.6
4.2	145.4	0.001086	0.442	611.8	2554.4	612.3	2127.5	2739.8
4.4	147.1	0.001088	0.423	619.1	2555.9	619.6	2122.3	2741.9
4.6	148.7	0.001089	0.405	626.2	2557.4	626.7	2117.2	2743.9
4.8	150.3	0.001091	0.389	633.0	2558.8	633.5	2112.2	2745.7
5.0	151.8	0.001093	0.375	639.6	2560.2	640.1	2107.4	2747.5
5.5	155.5	0.001097	0.342	655.2	2563.3	655.8	2095.9	2751.7
6.0	158.8	0.001101	0.315	669.8	2566.2	670.4	2085.0	2755.5
6.5	162.0	0.001105	0.292	683.4	2568.7	684.1	2074.7	2758.9
7.0	165.0	0.001108	0.273	696.3	2571.1	697.1	2064.9	2762.0

7.5	167.8	0.001112	0.2554	708.5	2573.3	709.3	2055.5	2764.8
8.0	170.4	0.001115	0.2403	720.0	2575.5	720.9	2046.5	2767.5
8.5	172.9	0.001118	0.2268	731.1	2577.1	732.0	2037.9	2769.9
9.0	175.4	0.001121	0.2148	741.6	2578.8	742.6	2029.5	2772.1
9.5	177.7	0.001124	0.2040	751.8	2580.4	752.8	2021.4	2774.2
10.0	179.9	0.001127	0.1943	761.5	2581.9	762.6	2013.6	2776.2
10.5	182.0	0.001130	0.1855	770.8	2583.3	772.0	2005.9	2778.0
11.0	184.1	0.001133	0.1774	779.9	2584.5	781.1	1998.5	2779.7
11.5	186.0	0.001136	0.1700	788.6	2585.8	789.9	1991.3	2781.3
12.0	188.0	0.001139	0.1632	797.1	2586.9	798.4	1984.3	2782.7
12.5	189.8	0.001141	0.1569	805.3	2588.0	806.7	1977.4	2784.1
13.0	191.6	0.001144	0.1511	813.2	2589.0	814.7	1970.7	2785.4
14	195.0	0.001149	0.1407	828.5	2590.8	830.1	1957.7	2787.8
15	198.3	0.001154	0.1317	842.9	2592.4	844.7	1945.2	2789.9
16	201.4	0.001159	0.1237	856.7	2593.8	858.6	1933.2	2791.7
17	204.3	0.001163	0.1166	869.9	2595.1	871.8	1921.5	2793.4
18	207.1	0.001168	0.1103	882.5	2596.3	884.6	1910.3	2794.8
19	209.8	0.001172	0.1047	894.6	2597.3	896.8	1899.3	2796.1
20	212.4	0.001177	0.0995	906.2	2598.2	908.6	1888.6	2797.2
21	214.9	0.001181	0.0949	917.5	2598.9	920.0	1878.2	2798.2
22	217.2	0.001185	0.0907	928.3	2599.6	931.0	1868.1	2799.1
23	219.6	0.001189	0.0868	938.9	2600.2	941.6	1858.2	2799.8
24	221.8	0.001193	0.0832	949.1	2600.7	951.9	1848.5	2800.4
25	223.9	0.001197	0.0799	959.0	2601.2	962.0	1839.0	2800.9
26	226.0	0.001201	0.0769	968.6	2601.5	971.7	1829.6	2801.4
27	228.1	0.001205	0.0740	978.0	2601.8	981.2	1820.5	2801.7
28	230.0	0.001209	0.0714	987.1	2602.1	990.5	1811.5	2802.0
29	232.0	0.001213	0.0689	996.0	2602.3	999.5	1802.6	2802.2
30	233.8	0.001216	0.0666	1004.7	2602.4	1008.4	1793.9	2802.3
32	237.4	0.001224	0.0624	1021.5	2602.5	1025.4	1776.9	2802.3
34	240.9	0.001231	0.0587	1037.6	2602.5	1041.8	1760.3	2802.1
36	244.2	0.001238	0.0554	1053.1	2602.2	1057.6	1744.2	2801.7
38	247.3	0.001245	0.0524	1068.0	2601.9	1072.7	1728.4	2801.1

(continued)

Table B.6 (Continued)

$P(\text{bar})$	$T(^{\circ}\text{C})$	$\hat{V}(\text{m}^3/\text{kg})$		$\hat{U}(\text{kJ/kg})$		$\hat{H}(\text{kJ/kg})$		
		Water	Steam	Water	Steam	Water	Evaporation	Steam
40	250.3	0.001252	0.0497	1082.4	2601.3	1087.4	1712.9	2800.3
42	253.2	0.001259	0.0473	1096.3	2600.7	1101.6	1697.8	2799.4
44	256.0	0.001266	0.0451	1109.8	2599.9	1115.4	1682.9	2798.3
46	258.8	0.001272	0.0430	1122.9	2599.1	1128.8	1668.3	2797.1
48	261.4	0.001279	0.0412	1135.6	2598.1	1141.8	1653.9	2795.7
50	263.9	0.001286	0.0394	1148.0	2597.0	1154.5	1639.7	2794.2
52	266.4	0.001292	0.0378	1160.1	2595.9	1166.8	1625.7	2792.6
54	268.8	0.001299	0.0363	1171.9	2594.6	1178.9	1611.9	2790.8
56	271.1	0.001306	0.0349	1183.5	2593.3	1190.8	1598.2	2789.0
58	273.3	0.001312	0.0337	1194.7	2591.9	1202.3	1584.7	2787.0
60	275.6	0.001319	0.0324	1205.8	2590.4	1213.7	1571.3	2785.0
62	277.7	0.001325	0.0313	1216.6	2588.8	1224.8	1558.0	2782.9
64	279.8	0.001332	0.0302	1227.2	2587.2	1235.7	1544.9	2780.6
66	281.8	0.001338	0.0292	1237.6	2585.5	1246.5	1531.9	2778.3
68	283.8	0.001345	0.0283	1247.9	2583.7	1257.0	1518.9	2775.9
70	285.8	0.001351	0.0274	1258.0	2581.8	1267.4	1506.0	2773.5
72	287.7	0.001358	0.0265	1267.9	2579.9	1277.6	1493.3	2770.9
74	289.6	0.001364	0.0257	1277.6	2578.0	1287.7	1480.5	2768.3
76	291.4	0.001371	0.0249	1287.2	2575.9	1297.6	1467.9	2765.5
78	293.2	0.001378	0.0242	1296.7	2573.8	1307.4	1455.3	2762.8
80	295.0	0.001384	0.0235	1306.0	2571.7	1317.1	1442.8	2759.9
82	296.7	0.001391	0.0229	1315.2	2569.5	1326.6	1430.3	2757.0
84	298.4	0.001398	0.0222	1324.3	2567.2	1336.1	1417.9	2754.0
86	300.1	0.001404	0.0216	1333.3	2564.9	1345.4	1405.5	2750.9
88	301.7	0.001411	0.0210	1342.2	2562.6	1354.6	1393.2	2747.8
90	303.3	0.001418	0.02050	1351.0	2560.1	1363.7	1380.9	2744.6
92	304.9	0.001425	0.01996	1359.7	2557.7	1372.8	1368.6	2741.4
94	306.4	0.001432	0.01945	1368.2	2555.2	1381.7	1356.3	2738.0

96	308.0	0.001439	0.01897	1376.7	2552.6	1390.6	1344.1	2734.7
98	309.5	0.001446	0.01849	1385.2	2550.0	1399.3	1331.9	2731.2
100	311.0	0.001453	0.01804	1393.5	2547.3	1408.0	1319.7	2727.7
105	314.6	0.001470	0.01698	1414.1	2540.4	1429.5	1289.2	2718.7
110	318.0	0.001489	0.01601	1434.2	2533.2	1450.6	1258.7	2709.3
115	321.4	0.001507	0.01511	1454.0	2525.7	1471.3	1228.2	2699.5
120	324.6	0.001527	0.01428	1473.4	2517.8	1491.8	1197.4	2689.2
125	327.8	0.001547	0.01351	1492.7	2509.4	1512.0	1166.4	2678.4
130	330.8	0.001567	0.01280	1511.6	2500.6	1532.0	1135.0	2667.0
135	333.8	0.001588	0.01213	1530.4	2491.3	1551.9	1103.1	2655.0
140	336.6	0.001611	0.01150	1549.1	2481.4	1571.6	1070.7	2642.4
145	339.4	0.001634	0.01090	1567.5	2471.0	1591.3	1037.7	2629.1
150	342.1	0.001658	0.01034	1586.1	2459.9	1611.0	1004.0	2615.0
155	344.8	0.001683	0.00981	1604.6	2448.2	1630.7	969.6	2600.3
160	347.3	0.001710	0.00931	1623.2	2436.0	1650.5	934.3	2584.9
165	349.8	0.001739	0.00883	1641.8	2423.1	1670.5	898.3	2568.8
170	352.3	0.001770	0.00837	1661.6	2409.3	1691.7	859.9	2551.6
175	354.6	0.001803	0.00793	1681.8	2394.6	1713.3	820.0	2533.3
180	357.0	0.001840	0.00750	1701.7	2378.9	1734.8	779.1	2513.9
185	359.2	0.001881	0.00708	1721.7	2362.1	1756.5	736.6	2493.1
190	361.4	0.001926	0.00668	1742.1	2343.8	1778.7	692.0	2470.6
195	363.6	0.001977	0.00628	1763.2	2323.6	1801.8	644.2	2446.0
200	365.7	0.00204	0.00588	1785.7	2300.8	1826.5	591.9	2418.4
205	367.8	0.00211	0.00546	1810.7	2274.4	1853.9	532.5	2386.4
210	369.8	0.00220	0.00502	1840.0	2242.1	1886.3	461.3	2347.6
215	371.8	0.00234	0.00451	1878.6	2198.1	1928.9	366.2	2295.2
220	373.7	0.00267	0.00373	1952	2114	2011	185	2196
221.2	374.15	0.00317	0.00317	2038	2038	2108	0	2108
(Critical point)								

Table B.7 Properties of Superheated Steam^a

$P(\text{bar})$ ($T_{\text{sat}}, ^\circ\text{C}$)	Sat'd Water	Sat'd Steam	Temperature ($^\circ\text{C}$)→							
			50	75	100	150	200	250	300	350
0.0 (—)	$\hat{H}$ $\hat{U}$ $\hat{V}$	— — —	2595 2446 —	2642 2481 —	2689 2517 —	2784 2589 —	2880 2662 —	2978 2736 —	3077 2812 —	3177 2890 —
0.1 (45.8)	$\hat{H}$ $\hat{U}$ $\hat{V}$	191.8 191.8 0.00101	2593 2444 14.8	2640 2480 16.0	2688 2516 17.2	2783 2588 19.5	2880 2661 21.8	2977 2736 24.2	3077 2812 26.5	3177 2890 28.7
0.5 (81.3)	$\hat{H}$ $\hat{U}$ $\hat{V}$	340.6 340.6 0.00103	209.3 209.2 0.00101	313.9 313.9 0.00103	2683 2512 3.41	2780 2586 3.89	2878 2660 4.35	2979 2735 4.83	3076 2811 5.29	3177 2889 5.75
1.0 (99.6)	$\hat{H}$ $\hat{U}$ $\hat{V}$	417.5 417.5 0.00104	209.3 209.2 0.00101	314.0 313.9 0.00103	2676 2507 1.69	2776 2583 1.94	2875 2658 2.17	2975 2734 2.40	3074 2811 2.64	3176 2889 2.87
5.0 (151.8)	$\hat{H}$ $\hat{U}$ $\hat{V}$	640.1 639.6 0.00109	209.7 209.2 0.00101	314.3 313.8 0.00103	419.4 418.8 0.00104	632.2 631.6 0.00109	2855 2643 0.425	2961 2724 0.474	3065 2803 0.522	3168 2883 0.571
10 (179.9)	$\hat{H}$ $\hat{U}$ $\hat{V}$	762.6 761.5 0.00113	210.1 209.1 0.00101	314.7 313.7 0.00103	419.7 418.7 0.00104	632.5 631.4 0.00109	2827 2621 0.206	2943 2710 0.233	3052 2794 0.258	3159 2876 0.282
20 (212.4)	$\hat{H}$ $\hat{U}$ $\hat{V}$	908.6 906.2 0.00118	211.0 209.0 0.00101	315.5 313.5 0.00102	420.5 418.4 0.00104	633.1 603.9 0.00109	852.6 850.2 0.00116	2902 2679 0.111	3025 2774 0.125	3139 2862 0.139
40 (250.3)	$\hat{H}$ $\hat{U}$ $\hat{V}$	1087.4 1082.4 0.00125	212.7 208.6 0.00101	317.1 313.0 0.00102	422.0 417.8 0.00104	634.3 630.0 0.00109	853.4 848.8 0.00115	1085.8 1080.8 0.00125	2962 2727 0.0588	3095 2829 0.0665
60 (275.6)	$\hat{H}$ $\hat{U}$ $\hat{V}$	1213.7 1205.8 0.00132	214.4 208.3 0.00101	318.7 312.6 0.00103	423.5 417.3 0.00104	635.6 629.1 0.00109	854.2 847.3 0.00115	1085.8 1078.3 0.00125	2885 2668 0.0361	3046 2792 0.0422
80 (295.0)	$\hat{H}$ $\hat{U}$ $\hat{V}$	1317.1 1306.0 0.00139	216.1 208.1 0.00101	320.3 312.3 0.00102	425.0 416.7 0.00104	636.8 628.2 0.00109	855.1 845.9 0.00115	1085.8 1075.8 0.00124	2787 2593 0.0243	2990 2750 0.0299
100 (311.0)	$\hat{H}$ $\hat{U}$ $\hat{V}$	1408.0 1393.5 0.00145	217.8 207.8 0.00101	322.9 311.7 0.00102	426.5 416.1 0.00104	638.1 627.3 0.00109	855.9 844.4 0.00115	1085.8 1073.4 0.00124	1343.4 1329.4 0.00140	2926 2702 0.0224
150 (342.1)	$\hat{H}$ $\hat{U}$ $\hat{V}$	1611.0 1586.1 0.00166	222.1 207.0 0.00101	326.0 310.7 0.00102	430.3 414.7 0.00104	641.3 625.0 0.00108	858.1 841.0 0.00114	1086.2 1067.7 0.00123	1338.2 1317.6 0.00138	2695 2523 0.0115
200 (365.7)	$\hat{H}$ $\hat{U}$ $\hat{V}$	1826.5 1785.7 0.00204	226.4 206.3 0.00100	330.0 309.7 0.00102	434.0 413.2 0.00103	644.5 622.9 0.00108	860.4 837.7 0.00114	1086.7 1062.2 0.00122	1334.3 1307.1 0.00136	1647.1 1613.7 0.00167
221.2(P_c) (374.15)(T_c)	$\hat{H}$ $\hat{U}$ $\hat{V}$	2108 2037.8 0.00317	228.2 206.0 0.00100	331.7 309.2 0.00102	435.7 412.8 0.00103	645.8 622.0 0.00108	861.4 836.3 0.00114	1087.0 1060.0 0.00122	1332.8 1302.9 0.00135	1635.5 1600.3 0.00163
250 (—)	$\hat{H}$ $\hat{U}$ $\hat{V}$	— — —	230.7 205.7 0.00100	334.0 308.7 0.00101	437.8 412.1 0.00103	647.7 620.8 0.00108	862.8 834.4 0.00113	1087.5 1057.0 0.00122	1331.1 1297.5 0.00135	1625.0 1585.0 0.00160
300 (—)	$\hat{H}$ $\hat{U}$ $\hat{V}$	— — —	235.0 205.0 0.0009990	338.1 307.7 0.00101	441.6 410.8 0.00103	650.9 618.7 0.00107	865.2 831.3 0.00113	1088.4 1052.1 0.00121	1328.7 1288.7 0.00133	1609.9 1563.3 0.00155
500 (—)	$\hat{H}$ $\hat{U}$ $\hat{V}$	— — —	251.9 202.4 0.0009911	354.2 304.0 0.00100	456.8 405.8 0.00102	664.1 611.0 0.00106	875.4 819.7 0.00111	1093.6 1034.3 0.00119	1323.7 1259.3 0.00129	1576.3 1504.1 0.00144
1000 (—)	$\hat{H}$ $\hat{U}$ $\hat{V}$	— — —	293.9 196.5 0.0009737	394.3 295.7 0.0009852	495.1 395.1 0.00100	698.0 594.4 0.00104	903.5 795.3 0.00108	1113.0 999.0 0.00114	1328.7 1207.1 0.00122	1550.5 1419.0 0.00131

^aAdapted from R. W. Haywood, *Thermodynamic Tables in SI (Metric) Units*, Cambridge University Press, London, 1968. Water is a liquid in the enclosed region between 50°C and 350°C. $\hat{H}$ = specific enthalpy (kJ/kg), $\hat{U}$ = specific internal energy (kJ/kg), $\hat{V}$ = specific volume (m³/kg). Note: kJ/kg $\times$ 0.4303 = Btu/lb_m.

(continued)

Table B.7 (Continued)

$P(\text{bar})$ ($T_{\text{sat}}, ^\circ\text{C}$)		Temperature ($^\circ\text{C}$) $\rightarrow$							
		400	450	500	550	600	650	700	750
0.0 (—)	$\hat{H}$ $\hat{U}$ $\hat{V}$	3280 2969 —	3384 3050 —	3497 3132 —	3597 3217 —	3706 3303 —	3816 3390 —	3929 3480 —	4043 3591 —
0.1 (45.8)	$\hat{H}$ $\hat{U}$ $\hat{V}$	3280 2969 21.1	3384 3050 33.3	3489 3132 35.7	3596 3217 38.0	3706 3303 40.3	3816 3390 42.6	3929 3480 44.8	4043 3571 47.2
0.5 (81.3)	$\hat{H}$ $\hat{U}$ $\hat{V}$	3279 2969 6.21	3383 3049 6.67	3489 3132 7.14	3596 3216 7.58	3705 3302 8.06	3816 3390 8.55	3929 3480 9.01	4043 3571 9.43
1.0 (99.6)	$\hat{H}$ $\hat{U}$ $\hat{V}$	3278 2968 3.11	3382 3049 3.33	3488 3132 3.57	3596 3216 3.80	3705 3302 4.03	3816 3390 4.26	3928 3479 4.48	4042 3570 4.72
5.0 (151.8)	$\hat{H}$ $\hat{U}$ $\hat{V}$	3272 2964 0.617	3379 3045 0.664	3484 3128 0.711	3592 3213 0.758	3702 3300 0.804	3813 3388 0.850	3926 3477 0.897	4040 3569 0.943
10 (179.9)	$\hat{H}$ $\hat{U}$ $\hat{V}$	3264 2958 0.307	3371 3041 0.330	3478 3124 0.353	3587 3210 0.377	3697 3296 0.402	3809 3385 0.424	3923 3475 0.448	4038 3567 0.472
20 (212.4)	$\hat{H}$ $\hat{U}$ $\hat{V}$	3249 2946 0.151	3358 3031 0.163	3467 3115 0.175	3578 3202 0.188	3689 3290 0.200	3802 3379 0.211	3916 3470 0.223	4032 3562 0.235
40 (250.3)	$\hat{H}$ $\hat{U}$ $\hat{V}$	3216 2922 0.0734	3331 3011 0.0799	3445 3100 0.0864	3559 3188 0.0926	3673 3278 0.0987	3788 3368 0.105	3904 3460 0.111	4021 3554 0.117
60 (275.6)	$\hat{H}$ $\hat{U}$ $\hat{V}$	3180 2896 0.0474	3303 2991 0.0521	3422 3083 0.0566	3539 3174 0.0609	3657 3265 0.0652	3774 3357 0.0693	3892 3451 0.0735	4011 3545 0.0776
80 (295.0)	$\hat{H}$ $\hat{U}$ $\hat{V}$	3142 2867 0.0344	3274 2969 0.0382	3399 3065 0.0417	3520 3159 0.0450	3640 3252 0.0483	3759 3346 0.0515	3879 3441 0.0547	4000 3537 0.0578
100 (311.0)	$\hat{H}$ $\hat{U}$ $\hat{V}$	3100 2836 0.0264	3244 2946 0.0298	3375 3047 0.0328	3500 3144 0.0356	3623 3240 0.0383	3745 3335 0.0410	3867 3431 0.0435	3989 3528 0.0461
150 (342.1)	$\hat{H}$ $\hat{U}$ $\hat{V}$	2975 2744 0.0157	3160 2883 0.0185	3311 2999 0.0208	3448 3105 0.0229	3580 3207 0.0249	3708 3307 0.0267	3835 3407 0.0286	3962 3507 0.0304
200 (365.7)	$\hat{H}$ $\hat{U}$ $\hat{V}$	2820 2622 0.009950	3064 2810 0.0127	3241 2946 0.0148	3394 3063 0.0166	3536 3172 0.0182	3671 3278 0.197	3804 3382 0.211	3935 3485 0.0225
221.2(P_c) (374.15)(T_c)	$\hat{H}$ $\hat{U}$ $\hat{V}$	2733 2553 0.008157	3020 2776 0.0110	3210 2922 0.0130	3370 3045 0.0147	3516 3157 0.0162	3655 3265 0.0176	3790 3371 0.0190	3923 3476 0.0202
250 (—)	$\hat{H}$ $\hat{U}$ $\hat{V}$	2582 2432 0.006013	2954 2725 0.009174	3166 2888 0.0111	3337 3019 0.0127	3490 3137 0.0141	3633 3248 0.0143	3772 3356 0.0166	3908 3463 0.0178
300 (—)	$\hat{H}$ $\hat{U}$ $\hat{V}$	2162 2077 0.002830	2826 2623 0.006734	3085 2825 0.008680	3277 2972 0.0102	3443 3100 0.0114	3595 3218 0.0126	3740 3330 0.0136	3880 3441 0.0147
500 (—)	$\hat{H}$ $\hat{U}$ $\hat{V}$	1878 1791 0.001726	2293 2169 0.002491	2723 2529 0.003882	3021 2765 0.005112	3248 2946 0.006112	3439 3091 0.007000	3610 3224 0.007722	3771 3350 0.008418
1000 (—)	$\hat{H}$ $\hat{U}$ $\hat{V}$	1798 1653 0.001446	2051 1888 0.001628	2316 2127 0.001893	2594 2369 0.002246	2857 2591 0.002668	3105 2795 0.003106	3324 2971 0.003536	3526 3131 0.003953

Table B.8 Specific Enthalpies of Selected Gases: SI Units

$\hat{H}$ (kJ/mol)							
Reference state: Gas, $P_{\text{ref}} = 1 \text{ atm}$, $T_{\text{ref}} = 25^\circ\text{C}$							
T	Air	O ₂	N ₂	H ₂	CO	CO ₂	H ₂ O
0	-0.72	-0.73	-0.73	-0.72	-0.73	-0.92	-0.84
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100	2.19	2.24	2.19	2.16	2.19	2.90	2.54
200	5.15	5.31	5.13	5.06	5.16	7.08	6.01
300	8.17	8.47	8.12	7.96	8.17	11.58	9.57
400	11.24	11.72	11.15	10.89	11.25	16.35	13.23
500	14.37	15.03	14.24	13.83	14.38	21.34	17.01
600	17.55	18.41	17.39	16.81	17.57	26.53	20.91
700	20.80	21.86	20.59	19.81	20.82	31.88	24.92
800	24.10	25.35	23.86	22.85	24.13	37.36	29.05
900	27.46	28.89	27.19	25.93	27.49	42.94	33.32
1000	30.86	32.47	30.56	29.04	30.91	48.60	37.69
1100	34.31	36.07	33.99	32.19	34.37	54.33	42.18
1200	37.81	39.70	37.46	35.39	37.87	60.14	46.78
1300	41.34	43.38	40.97	38.62	41.40	65.98	51.47
1400	44.89	47.07	44.51	41.90	44.95	71.89	56.25
1500	48.45	50.77	48.06	45.22	48.51	77.84	61.09

Table B.9 Specific Enthalpies of Selected Gases:
American Engineering Units

$\hat{H}$ (Btu/lb-mole)							
Reference state: Gas, $P_{\text{ref}} = 1 \text{ atm}$, $T_{\text{ref}} = 77^\circ\text{F}$							
T	Air	O ₂	N ₂	H ₂	CO	CO ₂	H ₂ O
32	-312	-315	-312	-310	-312	-394	-361
77	0	0	0	0	0	0	0
100	160	162	160	159	160	206	185
200	858	875	857	848	859	1132	996
300	1563	1602	1558	1539	1564	2108	1818
400	2275	2342	2265	2231	2276	3129	2652
500	2993	3094	2976	2925	2994	4192	3499
600	3719	3858	3694	3621	3720	5293	4359
700	4451	4633	4418	4319	4454	6429	5233
800	5192	5418	5150	5021	5195	7599	6122
900	5940	6212	5889	5725	5945	8790	7025
1000	6695	7015	6635	6433	6702	10015	7944
1100	7459	7826	7399	7145	7467	11263	8880
1200	8230	8645	8151	7861	8239	12533	9831
1300	9010	9471	8922	8581	9021	13820	10799
1400	9797	10304	9699	9306	9809	15122	11783
1500	10590	11142	10485	10035	10606	16436	12783
1600	11392	11988	11278	10769	11409	17773	13798
1700	12200	12836	12080	11509	12220	19119	14831
1800	13016	13691	12888	12254	13036	20469	15877
1900	13837	14551	13702	13003	13858	21840	16941
2000	14663	15415	14524	13759	14688	23211	18019

Table B.10 Atomic Heat Capacities for Kopp's Rule^a

Element	$C_{pa}[\text{J}/(\text{g}\cdot\text{atom}\cdot^\circ\text{C})]$	
	Solids	Liquids
C	7.5	12
H	9.6	18
B	11	20
Si	16	24
O	17	25
F	21	29
P	23	31
S	26	31
All Others	26	33

^aD. M. Himmelblau, *Basic Principles and Calculations in Chemical Engineering*, 3rd Edition, Prentice-Hall, Englewood Cliffs, NJ, 1974, p. 270.

Table B.11 Integral Heats of Solution and Mixing at 25°C

$r(\text{mol H}_2\text{O/mol solute})$	$(\Delta\hat{H}_s)_{\text{HCl(g)}}$ kJ/mol HCl	$(\Delta\hat{H}_s)_{\text{NaOH(s)}}$ kJ/mol NaOH	$(\Delta\hat{H}_m)_{\text{H}_2\text{SO}_4}$ kJ/mol H ₂ SO ₄
0.5	—	—	−15.73
1	−26.22	—	−28.07
1.5	—	—	−36.90
2	−48.82	—	−41.92
3	−56.85	−28.87	−48.99
4	−61.20	−34.43	−54.06
5	−64.05	−37.74	−58.03
10	−69.49	−42.51	−67.03
20	−71.78	−42.84	—
25	—	—	−72.30
30	−72.59	−42.72	—
40	−73.00	−42.59	—
50	−73.26	−42.51	−73.34
100	−73.85	−42.34	−73.97
200	−74.20	−42.26	—
500	−74.52	−42.38	−76.73
1 000	−74.68	−42.47	−78.57
2 000	−74.82	−42.55	—
5 000	−74.93	−42.68	−84.43
10 000	−74.99	−42.72	−87.07
50 000	−75.08	−42.80	—
100 000	−75.10	—	−93.64
500 000	—	—	−95.31
∞	−75.14	−42.89	−96.19

^aFrom J. C. Whitwell and R. K. Toner, *Conservation of Mass and Energy*, pp. 344–346. Copyright © 1969 by McGraw-Hill, Inc. Used with permission of McGraw-Hill.

ATOMIC WEIGHTS AND NUMBERS

Atomic weights apply to naturally occurring isotopic compositions and are based on an atomic mass of $^{12}\text{C} = 12$

Element	Symbol	Atomic Number	Atomic Weight	Element	Symbol	Atomic Number	Atomic Weight
Actinium	Ac	89	—	Iridium	Ir	77	192.2
Aluminum	Al	13	26.9815	Iron	Fe	26	55.847
Americium	Am	95	—	Krypton	Kr	36	83.80
Antimony	Sb	51	121.75	Lanthanum	La	57	138.91
Argon	Ar	18	39.948	Lawrencium	Lr	103	—
Arsenic	As	33	74.9216	Lead	Pb	82	207.19
Astatine	At	85	—	Lithium	Li	3	6.939
Barium	Ba	56	137.34	Lutetium	Lu	71	174.97
Berkelium	Bk	97	—	Magnesium	Mg	12	24.312
Beryllium	Be	4	9.0122	Manganese	Mn	25	54.9380
Bismuth	Bi	83	208.980	Mendelevium	Md	101	—
Boron	B	5	10.811	Mercury	Hg	80	200.59
Bromine	Br	35	79.904	Molybdenum	Mo	42	95.94
Cadmium	Cd	48	112.40	Neodymium	Nd	60	144.24
Calcium	Ca	20	40.08	Neon	Ne	10	20.183
Californium	Cf	98	—	Neptunium	Np	93	—
Carbon	C	6	12.01115	Nickel	Ni	28	58.71
Cerium	Ce	58	140.12	Niobium	Nb	41	92.906
Cesium	Cs	55	132.905	Nitrogen	N	7	14.0067
Chlorine	Cl	17	35.453	Nobelium	No	102	—
Chromium	Cr	24	51.996	Osmium	Os	75	190.2
Cobalt	Co	27	58.9332	Oxygen	O	8	15.9994
Copper	Cu	29	63.546	Palladium	Pd	46	106.4
Curium	Cm	96	—	Phosphorus	P	15	30.9738
Dysprosium	Dy	66	162.50	Platinum	Pt	78	195.09
Einsteinium	Es	99	—	Plutonium	Pu	94	—
Erbium	Er	68	167.26	Polonium	Po	84	—
Europium	Eu	63	151.96	Potassium	K	19	39.102
Fermium	Fm	100	—	Praseodymium	Pr	59	140.907
Fluorine	F	9	18.9984	Promethium	Pm	61	—
Francium	Fr	87	—	Protactinium	Pa	91	—
Gadolinium	Gd	64	157.25	Radium	Ra	88	—
Gallium	Ga	31	69.72	Radon	Rn	86	—
Germanium	Ge	32	72.59	Rhenium	Re	75	186.2
Gold	Au	79	196.967	Rhodium	Rh	45	102.905
Hafnium	Hf	72	178.49	Rubidium	Rb	37	84.57
Helium	He	2	4.0026	Ruthenium	Ru	44	101.07
Holmium	Ho	67	164.930	Samarium	Sm	62	150.35
Hydrogen	H	1	1.00797	Scandium	Sc	21	44.956
Indium	In	49	114.82	Selenium	Se	34	78.96
Iodine	I	53	126.9044	Silicon	Si	14	28.086

Atomic weights apply to naturally occurring isotopic compositions and are based on an atomic mass of $^{12}\text{C} = 12$

Element	Symbol	Atomic Number	Atomic Weight	Element	Symbol	Atomic Number	Atomic Weight
Silver	Ag	47	107.868	Tin	Sn	50	118.69
Sodium	Na	11	22.9898	Titanium	Ti	22	47.90
Strontium	Sr	38	87.62	Tungsten	W	74	183.85
Sulfur	S	16	32.064	Uranium	U	92	238.03
Tantalum	Ta	73	180.948	Vanadium	V	23	50.942
Technetium	Tc	43	—	Xenon	Xe	54	131.30
Tellurium	Te	52	127.60	Ytterbium	Yb	70	173.04
Terbium	Tb	65	158.924	Yttrium	Y	39	88.905
Thallium	Tl	81	204.37	Zinc	Zn	30	65.37
Thorium	Th	90	232.038	Zirconium	Zr	40	91.22
Thulium	Tm	69	168.934				

THE GAS CONSTANT

8.314 $\text{m}^3 \cdot \text{Pa}/(\text{mol} \cdot \text{K})$

0.08314 $\text{L} \cdot \text{bar}/(\text{mol} \cdot \text{K})$

0.08206 $\text{L} \cdot \text{atm}/(\text{mol} \cdot \text{K})$

62.36 $\text{L} \cdot \text{mm Hg}/(\text{mol} \cdot \text{K})$

0.7302 $\text{ft}^3 \cdot \text{atm}/(\text{lb-mole} \cdot ^\circ\text{R})$

10.73 $\text{ft}^3 \cdot \text{psia}/(\text{lb-mole} \cdot ^\circ\text{R})$

8.314 $\text{J}/(\text{mol} \cdot \text{K})$

1.987 $\text{cal}/(\text{mol} \cdot \text{K})$

1.987 $\text{Btu}/(\text{lb-mole} \cdot ^\circ\text{R})$